Index to Volume 60, 1984

Authors and subjects are indexed together. There is a separate index of articles abstracted and another of authors of articles abstracted (when there are seven or more authors, only the first three are indexed).

ACKERS J P. *See* STREET D A *et al*, **31**

Acquired immune deficiency syndrome in United Kingdom, clinical aspects of, **253**

Acrosoxacin, insufficient evaluation of, in treating gonorrhoea, **349**

Acrosoxacin *See also* Rosoxacin

Acyclovir, long term oral, in disseminated mucocutaneous herpes simplex, **125**

Acyclovir, treatment with, in genital herpes simplex virus infection complicated by eczema herpeticum, **241**

Adolescent girls: an STD epidemic in?, **402**

Agammaglobulinaemia and non-specific urethritis, intraurethral immunoglobulin treatment in, **58**

AJAYI I O. *See* ASUZU M C *et al*, **114**

ALACOQUE B, CLOPPET H, DUMONTEL C, MOULIN G: Histological, immunofluorescent, and ultrastructural features of lymphogranuloma venereum: case report, **390**

ALAWATTEGAMA A B: Screening for cervical intraepithelial neoplasia and cancer in the Sheffield STD clinic, **117**

ALBRECHT-van LENT P. *See* COUTINHO R A *et al*, **249**

ALDERETE J F: ELISA for detecting antibody to *T vaginalis*: use of whole cells and aqueous extract as antigen, **164**

ALDERETE J F, PEARLMAN E: Pathogenic *T vaginalis* cytotoxicity to cell culture monolayers, **99**

Amoxycillin and clavulanic acid in treatment of uncomplicated anogenital gonorrhoea, **132**

Amoxycillin and procaine penicillin, comparison in treatment of uncomplicated gonorrhoea, **274**

Amoxycillin compared with bacampicillin in *N gonorrhoeae* and *N meningitidis* infections, **380**

Amoxycillin, oral, potentiated by clavulanate: comparison with procaine penicillin in treating gonococcal urethritis in men, **29**

Ampicillin and probenecid, advantages of added tetracycline in treatment of gonorrhoea, **235**

Amsterdam, epidemiology of PPNG infections in, **23**

ANKER W J J. *See* DE HOOP D *et al*, **319**

ANSINK-SCHIPPER M C, HUIKESHOVEN M H, WOUDSTRA R K, *et al*: Epidemiology of PPNG infections in Amsterdam: analysis by auxanographic typing and plasmid characterisation, **23**

ANSINK-SCHIPPER M C, van KLINGEREN B, HUIKESHOVEN M H, WOUDSTRA R K, DESSENS-KROON M, van WIJNGAARDEN L J: Epidemiology of PPNG infections in the Netherlands: analysis by auxanographic typing and plasmid identification, **141**

Antwerp, syphilis, hepatitis A and B, and cytomegalovirus in homosexual men in, **48**

APAYA J A: Comparison of amoxycillin and procaine penicillin in the treatment of uncomplicated gonorrhoea (correspondence), **274**

ARIYARIT C. *See* PANIKABUTRA K *et al*, **231**

ASUZU M C, OGUNBANJO B O, AJAYI I O, OYEDIRAN A B O, OSOBA A O: Contact tracing in control of STD in Ibadan, Nigeria, **114**

Augmentin, two dose treatment of acute gonorrhoea in men, **161**

Australia, penicillin sensitivity of gonococci in, **226**

AUSTRALIAN GONOCOCCAL SURVEILLANCE PROGRAMME: Penicillin sensitivity of gonococci in Australia: development of Australian gonococcal surveillance programme, **226**

AVONTS D. *See* COESTER C-H *et al*, **48**

Bacampicillin compared with amoxycillin in *N gonorrhoeae* and *N meningitidis* infections, **380**

BAKER-ZANDER S A. *See* DiGIACOMO R F *et al*, **214**

BALSDON M J. *See* MASKELL R *et al*, **65**

BARLOW D. *See* BLACKWELL A, **350**

BARUAH M C, SARDARI L, SELVARAJU M, VELIATH A J: Perianal condylomata acuminata in a male child, **60**

BASHI S A Q. *See* De SILVA A H *et al*, **132**

BECKER A. *See* ERDMAN Y J *et al*, **39**

Bejel (endemic non-venereal syphilis) in Saudi Arabia, **293**

BEOHAR P C. *See* SEHGAL V N *et al*, **45**

BERDAL T B. *See* JERVE F *et al*, **171**

BINGHAM J S: Single blind comparison of ketoconazole 200 mg oral tablets and clotrimazole 100 mg vaginal tablets and 1% cream in treating acute vaginal candidosis, **175**

BJERK O. *See* CSÁNGÓ P A *et al*, **95**

BLACKWELL A, BARLOW D: Use of air dried vaginal specimens in the diagnosis of candidiasis and anaerobic vaginosis (non-specific vaginitis): effects of storage at room temperature (correspondence), **350**

BLANCO D R. *See* FITZGERALD T J *et al*, **357**

BOAKES A J, LOO P S L, RIDGWAY G L, TOVEY S, ORIEL J D: Treatment of uncomplicated gonorrhoea in women with a combination of rifampicin and erythromycin, **309**

BOHMAN P. *See* JERVE F *et al*, **171**

Bone lesions in early syphilis detected by bone scintigraphy, **265**

BOOK REVIEWS

BINGHAM J S: Sexually transmitted diseases (1983), **410**

CHERNIAK D: A book about sexually transmitted diseases (1983), **278**

DRAPER K, ed: Practice of psychosexual medicine (1983), **66**

ROBINSON T W E, HEATH R B: Virus diseases and the skin (1983), **207**

Bowen's disease, multicentric pigmented, of genitalia, associated with carcinoma in situ of cervix, **406**

BRADFORD D. *See* SPELMAN D W, **58**

British Columbia, STD in, **127**

British Journal of Venereal Diseases, change of title (editorial), **213**

BROOKS S E H. *See* TERRY S I *et al*, **83**

BROWN C W. *See* DiGIACOMO R F *et al*, **214**

BROWN S T. *See* CATES W *et al*, **323**

Buschke-Loewenstein tumour and laser treatment, **205**
Buschke-Loewenstein tumour of penis, **351**
BVUMBE S. *See* LATIF A S *et al*, **29**

Candida albicans, survival on fabric after laundering, **277**
Candida species, growth in liquid culture medium for *T vaginalis*, **39**
Candidiasis, air dried vaginal specimens in diagnosis of, **350**
Candidosis, acute vaginal, single blind comparison of ketoconazole and clotrimazole in treating, **175**
Candidosis, vaginal, single dose treatment, comparison of clotrimazole and isoconazole, **42**
Carbenoxolone and cicloxolone creams in treating herpes genitalis, **178**
Carcinoma in situ of cervix associated with multicentric pigmented Bowen's disease of genitalia, **406**
CARDER J M. *See* MUNDAY P E *et al*, **384**
CARMICHAEL D J. *See* WEBER J N *et al*, **253**
CASTRÉN O. *See* SYRJÄNEN K *et al*, **243**
CATES W. PARRA W C, BROWN S T: Control of sexually transmitted diseases: view from the United States of America, **323**
CATTERALL R D: Fifth Harrison Lecture 1984: the development of a specialty, **337**
CATTERALL R D: Fifth meeting of the International Society for STD Research, **129**
CATTERALL R D: STD in British Columbia, **127**
CATTERALL R D: STD in Thailand, **62**
CATTERALL R D: STD—third south east Asian and western Pacific regional conference, **64**
Cefobid (Cefoperazone) treatment of men with gonorrhoea caused by PPNG, **238**
Cefoperazone (Cefobid) treatment of men with gonorrhoea caused by PPNG, **238**
Cefotiam, activity on PPNG, **154**
Ceftizoxime in treatment of uncomplicated gonorrhoea, **90**
Cervical intraepithelial neoplasia and cancer screening in Sheffield STD clinic, **117**
Cervical intraepithelial neoplasia, clinical significance of human papillomavirus infection of uterine cervix in development of, **182**
Cervix, carcinoma in situ of, associated with multicentric pigmented Bowen's disease of genitalia, **406**
Cervix, chlamydial infection of, is one swab enough to detect? **384**
Cervix, erythromycin stearate in treating chlamydial infection of, **387**
Cervix, sexual behaviour of women with human papillomavirus lesions of, **243**
CHEETHAM D, SMITH J, WILSON C, MUNDAY P E, COLEMAN D V: Clinical significance of human papillomavirus infection of the uterine cervix in the development of cervical intraepithelial neoplasia, **182**
CHIEF MEDICAL OFFICER: Sexually transmitted diseases: extract from annual report for 1982, **199**
CHIN A T L, GERKEN A: Carriage of intestinal protozoal cysts in homosexuals, **193**
CHITWARAKORN A *See* PANIKABUTRA K *et al*, 231
Chlamydia trachomatis, activity of newer quinolones against, **349**
C trachomatis antigen, T cell proliferative responses in vitro to, **132**
C trachomatis infection, treatment in men with simultaneous acute gonococcal urethritis, **95**
C trachomatis, survival in different transport media and temperatures, **92**
Chlamydial infection and urinary symptoms, **65**
Chlamydial infection of cervix, erythromycin stearate in treating, **387**
Chlamydial infection of cervix, is one swab enough to detect?, **384**
Chlamydial infections, failure of pivampicillin in, **204**
CHOWDHURY M N H, PAREEK S S: Urethritis caused by group B streptococci: case report, **56**
Cicloxolone and carbenoxolone creams, treatment of herpes genitalis with, **178**
Ciprofloxacin activity against genital tract pathogens, **316**
Clavulanate with amoxycillin compared with procaine penicillin in treating gonococcal urethritis in men, **29**
Clavulanic acid and amoxycillin in treating uncomplicated anogenital gonorrhoea, **132**
CLAY J C. *See* MARTIN P M V *et al*, **151**
CLOPPET H. *See* ALACOQUE B *et al*, **390**
Clostridium difficile in genital tract, **276**
Clotrimazole and isoconazole, comparison of, in single dose treatment of vaginal candidosis, **42**
Clotrimazole, comparison with ketoconazole in acute vaginal candidosis, **175**
COESTER C-H, AVONTS D, COLAERT J, DESMYTER J, PIOT P: Syphilis, hepatitis A, hepatitis B, and cytomegalovirus infection in homosexual men in Antwerp, **48**
COHEN L: Single dose treatment of vaginal candidosis: comparison of clotrimazole and isoconazole, **42**
COLAERT J. *See* COESTER C-H *et al*, **48**
COLEMAN D V. *See* CHEETHAM D *et al*, **182**
COLLINS M. *See* RASHID S *et al*, **277**
CONDON J. *See* DiGIACOMO R F *et al*, **214**
Condylomata acuminata in children, **409**
Condylomata acuminata in prepubertal children, **277**
Condylomata acuminata, perianal, in a male child, **60**
Contact tracers (health advisers) in sexually transmitted disease, **269**
Contact tracing in control of STD in Ibadan, Nigeria, **114**
CONTEH S. *See* MABEY D C W *et al*, **331**
COOVADIA Y M, KHARSANY A, RAMSAROOP U. Antimicrobial susceptibility of *N gonorrhoeae* isolated in Durban, South Africa, **306**
CORNER J. *See* RASHID S et al, **277**
CORRESPONDENCE
APAYA J A: Comparison of amoxycillin and procaine penicillin in the treatment of uncomplicated gonorrhoea, **274**
BLACKWELL A, BARLOW D: Use of air dried vaginal specimens in the diagnosis of candidiasis and anaerobic vaginosis (non-specific vaginitis): effects of storage at room temperature, **350**
de JONG A R: Prepubertal children with condylomata acuminata, **277**
De SILVA A H, BASHI S A, ROY R B: Treatment of uncomplicated anogenital gonorrhoea with a single oral dose of 3 g amoxycillin combined with 250 mg clavulanic acid, **132**
FORSTER G, MUNDAY P E: Urethral syndrome in women attending an STD clinic, **65**

FRANCZYK J A E, GOLDNER M: A simple suggestion to distinguish between auxotypes of *Neisseria gonorrhoeae*, **133**

HAGDRUP H, KRISTENSEN J, SCHEIBEL J: Failure of pivampicillin in treating chlamydial infections, **204**

HARVEY J M, WATSON G: Buschke-Loewenstein tumour of the penis, **351**

HOCKIN J C: Risk of ectopic pregnancy after salpingitis, **409**

INGBER A, GRUNWALD M H, FEUERMAN E J: Buschke-Loewenstein tumour and laser treatment, **205**

INGBER A, GRUNWALD M H, FEURMAN E J: Condylomata acuminata in children, **409**

JONES C: Calling patients by name or number in STD clinics, **66**

KAVLI G, SAETROM K M, GUNDERSEN T, VOLDEN G: Higher incidence of asymptomatic gonorrhoea in men with initial infection than with reinfection, **274**

LEVETT P N: *Clostridium difficile* in the genital tract, **276**

MASKELL R, PEAD L, PEAD P J, BALSDON M J: Chlamydial infection and urinary symptoms, **65**

MEDLEY G: Anal smear test to diagnose occult anorectal infection with human papillomavirus in men, **205**

MINDEL A: Herpes vaccine, **204**

MORTON R S: Imported PPNG endemic in London, **275**

PHILIP S K, ISON C A, EASMON C S F: Coagglutination identification of *N gonorrhoeae*, **66**

QVIGSTAD E, ONSRUD M, SKAUG K. T cell proliferative responses to *C trachomatis* antigen in vitro in patients with a history of gynaecological infection, **132**

RASHID S, COLLINS M, CORNER J, MORTON R S: Survival of *C albicans* on fabric after laundering, **277**

SINGH M: Treatment of anogenital warts with trichloroacetic acid and podophyllin, **351**

SUMATHIPALA A H T: Insufficient evaluation of acrosoxacin in treating gonorrhoea, **349**

TAYLOR-ROBINSON, D, FURR P M, WEBSTER A D B: Case reports of urethritis, **276**

Van ROOSBROECK R J, PROVINCIAEL D R, Van CAEKENBERGHE D L: Activity of the newer quinolones against *C trachomatis*, **350**

COTTON D W K, KIRKHAM N, HICKS D A: Rectal spirochaetosis, **106**

COUTINHO R A, WERTHEIM-van DILLEN P, ALBRECHT-van LENT P, *et al:* Infection with cytomegalovirus in homosexual men, **249**

CRAWFORD D H, WELLER I, ILIESCU V, WARA D W: Epstein-Barr (EB) virus infection in homosexual men in London, **258**

CSÁNGÓ P A, SALVESON A, GUNDERSEN T, JAGARS G, BJERK O: Treatment of acute gonococcal urethritis in men with simultaneous infection with *C trachomatis*, **95**

CSONKA G W, TYRELL D A J: Treatment of herpes genitalis with carbenoxolone and cicloxolone creams: a double blind placebo controlled clinical trial, **178**

CSONKA G W. *See* PACE J L, **293**

CURRIE C. *See* SLATFORD K, **398**

Cytomegalovirus antibodies in homosexual and heterosexual men, **189**

Cytomegalovirus infection in homosexual men, **249**

Cytomegalovirus infection, syphitis, and hepatitis A and B in homosexual men in Antwerp, **48**

DAVE V K. *See* KING C M *et al*, **406**

DAVIES H A. *See* JOHNSON A P, **396**

de HOOP D, ANKER W J J, van STRIK R, MASUREL N, STOLZ E: Hepatitis B antigen and antibody in the blood of prostitutes visiting an outpatient venereology department in Rotterdam, **319**

de JONG A R: Prepubertal children with condylomata acuminata (correspondence), **277**

de ROO J C. *See* TJIAM K H *et al*, **92**

DeSILVA A H, BASHI S A Q, ROY R B: Treatment of uncomplicated anogenital gonorrhoea with a single oral dose of 3 g amoxycillin combined with 250 mg clavulanic acid (correspondence), **132**

DESMYTER J. *See* COESTER C-H *et al*, **48**

DESSENS-KROON M. *See* ANSINK-SCHIPPER M C *et al*, **141**

DICKGIESSER N, KUNTZ P: The activity of rosoxacin, fosfomycin, cefotiam, and spectinomycin on ß-lactamase producing *N gonorrhoeae*, **154**

DiGIACOMO R F, LUKEHART S A, TALBURT C D, BAKER-ZANDER S A, CONDON J, BROWN C W: Clinical course and treatment of venereal spirochaetosis in New Zealand white rabbits, **214**

DNA synthesis, inhibitory effect of syphilitic rabbit serum on, **285**

Donovanosis, histopathological diagnosis of, **45**

DRUMMOND L. *See* STRUGNELL R A *et al*, **75**

DUMONTEL C. *See* ALACOQUE B *et al*, **390**

Durban, South Africa, antimicrobial susceptibility of *N gonorrhoeae* isolated in, **306**

EASMON C S F. *See* PHILIP S K *et al*, **66**

Ectopic pregnancy, risk after salpingitis, **409**

Eczema herpeticum, treatment with acyclovir of genital herpes simplex virus infection complicated by, **241**

EDWARDS L D, GARTNER T: Comparison between bacampicillin and amoxycillin in treating genital and extragenital infection with *N gonorrhoeae* and pharyngeal infection with *N meningitidis*, **380**

EICHMANN A R, PIFFARETTI J-C: Penicillinase producing *N gonorrhoea* in Zurich, Switzerland, **147**

Epstein-Barr virus infection in homosexual men in London, **258**

ERDMAN Y J, HOLTON J M, BECKER A: Growth of *Candida* species in liquid culture medium for *T vaginalis*, **39**

Eryrthromycin and rifampicin combination in treating uncomplicated gonorrhoea in women, **309**

Erythromycin stearate in treating chlamydial infection of cervix, **387**

FAINE S. *See* STRUGNELL R A *et al*, **8**, **75**

FAINE S. *See* WONG G H W *et al*, **285**

FEUERMAN E J. *See* INGBER A *et al*, **205**, **409**

FITZGERALD M R: Effect of epidemiological treatment of contacts in preventing recurrences of non-gonococcal urethritis, **312**

FITZGERALD T J, REPESH L A, BLANCO D R, MILLER J N: Attachment of *T pallidum* to fibronectin, laminin, collagen IV, and collagen I, and blockage of attachment by immune rabbit IgG, **357**

FORSEY T. *See* MABEY D C W *et al*, **331**

FORSTER G, MUNDAY P E: Urethral syndrome in women attending an STD clinic (correspondence), **65**

FORSTER G E, ROBINSON G E, MUNDAY P E: Sexually transmitted diseases: an epidemic in adolescent girls?, **402**

FORSTER G E. *See* ROBINSON G E *et al*, **241**
Fosfomycin, activity on PPNG, **154**
FRANCZYK J A E, GOLDNER M: A simple suggestion to distinguish between auxotypes of *N gonorrhoeae* (correspondence), **133**
FURR P M. *See* TAYLOR-ROBINSON D *et al*, **276**

Gardnerella vaginalis, electron microscopy demonstration of pili on, **396**
GARTNER T. *See* EDWARDS L D, **380**
Genital tract pathogens, activity of ciprofloxacin against, **316**
GERKEN A. *See* CHIN A T L, **193**
GIAM Y C. *See* LIM K B *et al*, **157, 161**
Glycosaminoglycans: non-synthesis by *T pallidum*, **8**
GOH B T, SMITH G W, SAMARASINGHE L, SINGH V, LIM K S: Penicillin concentrations in serum and cerebrospinal fluid after intramuscular injection of aqueous procaine penicillin 0·6 MU with and without probenecid, **371**
GOLDNER M. *See* FRANCZYK J A E, **133**
Gonococcal urethritis, acute, treatment in men with simultaneous *C trachomatis* infection, **95**
Gonococcal urethritis in men: oral amoxycillin potentiated by clavulanate compared with intramuscular procaine penicillin, **29**
Gonococci, penicillin sensitivity of in Australia, **226**
Gonorrhoea, acute, in men, two dose Augmentin to treat, **161**
Gonorrhoea, asymptomatic, higher incidence in men with initial infection than with reinfection, **274**
Gonorrhoea caused by PPNG, cefoperazone (Cefobid) to treat, **238**
Gonorrhoea, insufficient evaluation of acrosoxacin in treating, **349**
Gonorrhoea, uncomplicated anogenital, treatment with amoxycillin and clavulanic acid, **132**
Gonorrhoea, uncomplicated, ceftizoxime to treat, **90**
Gonorrhoea, uncomplicated, comparison of amoxycillin and procaine penicillin in treating, **274**
Gonorrhoea, uncomplicated in men, rosoxacin to treat, **231**
Gonorrhoea, uncomplicated in women, treatment with combination of rifampicin and erythromycin, **309**
Gonorrhoea, uncomplicated, treatment with rosoxacin, **157**
GRAVES S. *See* STEINER B *et al*, **14**
GRAVES S. *See* WONG G H W *et al*, **285**
GRAVES S R. *See* STRUGNELL R A *et al*, **8, 75**
GREENHOUSE P R D H, THIN R N: Framboesiform lesions in primary herpes simplex infection: a case report, **346**
GRUNWALD M H. *See* INGBER A *et al*, **205, 409**
GUIBOURDENCHE H. *See* LAVITOLA A *et al*, **298**
GUMBO B. *See* LATIF A S *et al*, **29**
GUNDERSEN T. *See* CSÁNGÓ P A *et al*, **95**
GUNDERSEN T. *See* KAVLI G *et al*, **274**

Haemophilus ducreyi, Sheffield medium for cultivation of, **196**
HAFIZ S, McENTEGART M G, KINGHORN G R: Sheffield medium for cultivation of *H ducreyi*, **196**
HAGDRUP H, KRISTENSEN J, SCHEIBEL J: Failure of pivampicillin in treating chlamydial infections (correspondence), **204**
HANCHARD B. *See* TERRY S I *et al*, **83**
HANDLEY C J. *See* STRUGNELL R A *et al*, **8, 75**
HANNA N F. *See* MUNDAY P E *et al*, **384**
HANSEN K, HVID-JACOBSEN K, LINDEWALD H, SORENSEN P S, WEISMANN K: Bone lesions in early syphilis detected by bone scintigraphy, **265**
HARRIS A B. *See* YOUNG H *et al*, **87**
HARRIS J R W. *See* WEBER J N *et al*, **253**
Harrison Lecture, fifth, 1984: the development of a specialty, **337**
HART C A, HOWS J, HOBSON D: Activity of ciprofloxacin against genital tract pathogens, **316**
HARVEY J M, WATSON G: Buschke-Loewenstein tumour of the penis (correspondence), **351**
Hepatitis A and B, cytomegalovirus infection, and syphilis in homosexual men in Antwerp, **48**
Hepatitis B antigen and antibody in blood of prostitutes in Rotterdam, **319**
Herpes genitalis, treatment with carbenoxolone and cicloxolone creams, **178**
Herpes simplex infection, disseminated mucocutaneous, long term oral acyclovir in, **125**
Herpes simplex infection, genital, complicated by eczema herpeticum, treatment with acyclovir of, **241**
Herpes simplex infection, primary, framboesiform lesions in, **346**
Herpes vaccine, **204**
HICKS D A. *See* COTTON D W K *et al*, **106**
HIRA R S. *See* HIRA S K, **121**
HIRA S K, HIRA R S: Parotitis with secondary syphilis: a case report, **121**
HOBSON D. *See* HART C A *et al*, **316**
HOCKIN J C: Risk of ectopic pregnancy after salpingitis (correspondence), **409**
HOLTON J M. *See* ERDMAN Y J *et al*, **39**
Homosexual and heterosexual men, antibodies to cytomegalovirus in, **189**
Homosexual men, cytomegalovirus infection in, **249**
Homosexual men in Antwerp, syphilis, hepatitis A and B, and cytomegalovirus infection in, **48**
Homosexual men in London, Epstein-Barr virus infection in, **258**
Homosexual men, STDs in: a study of four societies, **52**
Homosexual men, sociological and psychological predictors of STD in: a study of four countries, **110**
Homosexually acquired infection, correlation of coagglutination serogroup WII with: serogrouping *N gonorrhoeae*, **302**
Homosexuals, carriage of intestinal protozoal cysts in, **193**
HOWS J. *See* HART C A *et al*, **316**
HUIKESHOVEN M H. *See* ANSINK-SCHIPPER M C *et al*, **23, 141**
Human papillomavirus lesions of uterine cervix, sexual behaviour of women with, **243**
Human papillomavirus, significance of infection of uterine cervix in development of cervical intraepithelial neoplasia, **182**
Human papillomavirus with occult anorectal infection in men, anal smear test to diagnose, **205**
HUNTER J M, SOMMERVILLE R G: Erythromycin stearate in treating chlamydial infection of the cervix, **387**
HVID-JACOBSEN K. *See* HANSEN K *et al*, **265**

Ibadan, Nigeria: STD contact tracing in, **114**
ILIESCU V. *See* CRAWFORD D H *et al*, **258**

Immunoglobulin, intraurethral, in treatment of non-specific urethritis, **58**
INGBER A, GRUNWALD M H, FEUERMAN E J: Buschke-Loewenstein tumour and laser treatment (correspondence), **205**
INGBER A, GRUNWALD M H, FEURMAN E J: Condylomata acuminata in children (correspondence), **409**
Isoconazole and clotrimazole: comparison of single dose treatment of vaginal candidiasis with, **42**
ISON C A. *See* PHILIP S K *et al*, **66**

JAGARS G. *See* CSÁNGÓ P A *et al*, **95**
JERVE F, BERDAL T B, BOHMAN P, *et al* (23 authors): Metronidazole in the treatment of non-specific vaginitis (NSV), **171**
JOHNSON A P, DAVIES H A: Demonstration by electron microscopy of pili on *G vaginalis*, **396**
JONES C: Calling patients by name or number in STD clinics (correspondence), **66**

KASHIBA S. *See* KITA E, **219**
KAVLI G, SAETROM K M, GUNDERSEN T, VOLDEN G: Higher incidence of asymptomatic gonorrhoea in men with initial infection than with reinfection (correspondence), **274**
KAWEMBA M. *See* LATIF A S *et al*, **29**
KAYASHIMA T. *See* SATO T *et al*, **364**
KENNEDY C. *See* ROBINSON G E *et al*, **241**
Ketoconazole, comparison with clotrimazole in treating acute vaginal candidosis, **175**
KHARSANY A. *See* COOVADIA Y M *et al*, **306**
KIM J H, RO Y S, KIM Y T: Cefoperazone (Cefobid) for treating men with gonorrhoea caused by PPNG **238**
KIM Y T. *See* KIM J H *et al*, **238**
KING C M, YATES V M, DAVE V K: Multicentric pigmented Bowen's disease of the genitalia associated with carcinoma in situ of the cervix, **406**
KINGHORN G R. *See* HAFIZ S *et al*, **196**
KIRKHAM N. *See* COTTON D W K *et al*, **106**
KITA E, KASHIBA S: Analysis of immune responses in genital tracts of mice immunised with purified ribosomal fractions of *N gonorrhoeae*, **219**
KRISTENSEN J, *See* HAGDRUP H *et al*, **204**
KUBO E. *See* SATO T *et al*, **364**
KUNTZ P. *See* DICKGIESSER N, **154**

LACEY C J N, MILNE J D: Preterm labour in association with *N gonorrhoeae:* case reports, **123**
Laser treatment of Buschke-Loewenstein tumour, **205**
LATIF A S, SITHOLE J, BVUMBE S, GUMBO B, KAWEMBA M, SUMMERS R S: Treating gonococcal urethritis in men: oral amoxycillin potentiated by clavulanate compared with intramuscular procaine penicillin, **29**
LAVITOLA A, MARTIN P M V, PEAN Y, GUIBOURDENCHE M, RIOU J Y: Stable serum resistance of *N gonorrhoeae* as an epidemiological marker, **298**
LEVETT P N: *Clostridium difficile* in the genital tract (correspondence), **276**
LIM A L. *See* SNG E H *et al*, **374**
LIM K B, RAJAN V S, GIAM Y C, LUI E O, SNG E H, YEO K L: Treatment of uncomplicated gonorrhoea with rosoxacin (acrosoxacin), **157**
LIM K B, RAJAN V S, GIAM Y C, LUI E O, SNG E H, YEO K L: Two dose Augmentin treatment of acute gonorrhoea in men, **161**
LIM K S. *See* GOH B T *et al*, **371**
LINDEWALD H. *See* HANSEN K *et al*, **265**
Liver abnormality in early syphilis, **83**
LLOYD-EVANS N E. *See* MABEY D C W *et al*, **331**
London, Epstein-Barr virus infection in homosexual men in, **258**
London, imported PPNG endemic in, **275**
LOO P S L. *See* BOAKES A J *et al*, **309**
LOWTHER D A. *See* STRUGNELL R A *et al*, **8**, **75**
LUI E O. *See* LIM K B *et al*, **157**, **161**
LUKEHART S A. *See* DIGIACOMO R F *et al*, **214**
Lymphogranuloma venereum, histological, immunofluorescent, and ultrastructural features of: case report, **390**

MABEY D C W, LLOYD-EVANS N E, CONTEH S, FORSEY T: Sexually transmitted diseases among randomly selected attenders at an antenatal clinic in the Gambia, **331**
McDONALD H. *See* TERRY S I *et al*, **83**
McENTEGART M G. *See* HAFIZ S *et al*, **196**
McLEAN K. *See* ROBINSON G E *et al*, **241**
McMILLAN A: *Genitourinary Medicine* (editorial), **213**
MARTIN P M V, PATEL P V, CLAY J C, PARSONS N J, SMITH H: Induction by human serum of resistance to serum in *N gonorrhoeae:* a clinical survey of patients with gonorrhoea, **151**
MARTIN P M V. *See* LAVITOLA A, *et al*, **298**
MASKELL R, PEAD L, PEAD P J, BALSDON M J: Chlamydial infection and urinary symptoms (correspondence), **65**
MASUREL N. *See* de HOOP D *et al*, **319**
MEDLEY G: Anal smear test to diagnose occult anorectal infection with human papillomavirus in men (correspondence) **205**
Metronidazole treatment of non-specific vaginitis, **171**
MILLER J N. *See* FITZGERALD T J *et al*, **357**
MILNE J D. *See* LACEY C J N, **123**
MINDEL A: Herpes vaccine (correspondence), **204**
MINDEL A: Long term oral acyclovir in disseminated mucocutaneous herpes simplex: a case report, **125**
MINDEL A, SUTHERLAND S: Antibodies to cytomegalovirus in homosexual and heterosexual men attending an STD clinic, **189**
MOHANTY K C, ROY R B: Thymus derived lymphocytes (T cells) in patients with genital warts, **186**
MORTON R S: Imported PPNG endemic in London (correspondence), **275**
MORTON R S. *See* RASHID S *et al*, **277**
MOSKOPHIDIS M. *See* MÜLLER F, **288**
MOULIN G. *See* ALACOQUE B *et al*, **390**
MSSVD: secretary's report to the 62nd annual general meeting, 1983, **273**
MÜLLER F, MOSKOPHIDIS M: Evaluation of an enzyme immunoassy for IgM antibodies to *T pallidum* in syphilis in man, **288**
MUNDAY P E, CARDER J M, HANNA N F, TAYLOR-ROBINSON D: Is one swab enough to detect chlamydial infection of the cervix?, **384**
MUNDAY P E. *See* CHEETHAM D *et al*, **182**
MUNDAY P E. *See* FORSTER G, **65**
MUNDAY P E. *See* FORSTER G *et al*, **402**

Neisseria gonorrhoeae and *N meningitidis,* bacampicillin compared with amoxycillin in treating genital and extragenital infections with, **380**
N gonorrhoeae and preterm labour, **123**
N gonorrhoeae, coagglutination identification of, **66**
N gonorrhoeae, distinction between auxotypes of, **133**
N gonorrhoeae, immune responses in genital tracts of mice immunised with, **219**
N gonorrhoeae, induction by human serum of resistance to serum in, **151**
N gonorrhoeae isolated in Durban, South Africa, antimicrobial susceptibility of, **306**
N gonorrhoeae, penicillinase producing, activity of rosoxacin, fosfomycin, cefotiam, and spectinomycin on, **154**
N gonorrhoeae, penicillinase producing, imported endemic in London (correspondence), **275**
N gonorrhoeae, penicillinase producing, in Amsterdam, epidemiology of, **23**
N gonorrhoeae, penicillinase producing in Netherlands, epidemiology of, **141**
N gonorrhoeae, penicillinase producing, in Zurich, Switzerland, **147**
N gonorrhoeae, serogrouping: correlation of coagglutination serogroup WII with homosexually acquired infection, **302**
N gonorrhoeae, stable serum resistance as epidemiological marker, **298**
N gonorrhoeae, susceptibility to antimicrobials in Singapore, **374**
Neisseria meningitidis and *N gonorrhoeae,* bacampicillin compared with amoxycillin in treating infections with, **380**
Neisseriae, gonococcal and non-gonococcal, differentiation by superoxol test, **87**
Non-gonococcal urethritis, effect of epidemiological treatment of contacts in preventing recurrences of, **312**
Non-specific urethritis, treatment by intraurethral immunoglobulin, **58**
Non-specific vaginitis, metronidazole in treatment of, **171**

OBITUARY
NICOL C S, **279**
OGUNBANJO B O. *See* ASUZU M C *et al,* **114**
ONSRUD M. *See* QVIGSTAD E *et al,* **132**
ORIEL J D. *See* BOAKES A J *et al,* **309**
ORIEL J D. *See* RIDGWAY G L, **235**
OSOBA A O. *See* ASUZU M C *et al,* **114**
OYEDIRAN A B O. *See* ASUZU M C *et al,* **114**

PACE J L, CSONKA G W: Endemic non-venereal syphilis (bejel) in Saudi Arabia, **293**
PANIKABUTRA K, ARIYARIT C, CHITWARAKORN A, SAENSANOH C: Rosoxacin in the treatment of uncomplicated gonorrhoea in men, **231**
Papillomavirus *See* Human papillomavirus
PAREEK S S. *See* CHOWDHURY M N H, **56**
Parotitis with secondary syphilis: case report, **121**
PARRA W C. *See* CATES W *et al,* **323**
PARSONS N J. *See* MARTIN P M V *et al,* **151**
PATEL P V. *See* MARTIN P M V *et al,* **151**
PEAD L. *See* MASKELL R *et al,* **65**
PEAD P J. *See* MASKELL R *et al,* **65**
PEAN Y. *See* LAVITOLA A *et al,* **298**
PEARLMAN E. *See* ALDERETE J F, **99**
Penicillin, concentrations in serum and CSF after injections with and without probenecid, **371**
Penicillin, sensitivity of gonococci in Australia to, **226**
Penis, Buschke-Loewenstein tumour of, **351**
PHILIP S K, ISON C A, EASMON C S F: Coagglutination identification of *N gonorrhoeae* (correspondence), **66**
PIFFARETTI J-C. *See* EICHMANN A R, **147**
PINCHING A J. *See* WEBER J N *et al,* **253**
PIOT P. *See* COESTER C-H *et al,* **48**
Pivampicillin, failure in treating chlamydial infections, **204**
Podophyllin and trichloroacetic acid to treat anogenital warts, **351**
Polyanions in syphilis, **75**
Pregnancy, ectopic, risk after salpingitis, **409**
Preterm labour and *N gonorrhoeae,* **123**
Probenecid and ampicillin, advantages of added tetracycline in treatment of gonorrhoea, **235**
Probenecid, effect on penicillin concentrations in serum and CSF, **371**
Procaine penicillin and amoxycillin, comparison in uncomplicated gonorrhoea, **274**
Prostitutes in Rotterdam, hepatitis B antigen and antibody in blood of, **319**
Proteoglycans: non-synthesis by *T pallidum,* **8**
Protozoal cysts, intestinal, carriage in homosexuals, **193**
PROVINCIAEL D R. *See* Van ROOSBROECK R J *et al,* **350**
Psychosexual problems, prevalence in patients attending a genitourinary clinic, **398**

Quinolones, newer: activity against *C trachomatis,* **350**
QVIGSTAD E, ONSRUD M, SKAUG K: T cell proliferative responses to *C trachomatis* antigen in vitro in patients with a history of gynaecological chlamydial infection (correspondence), **132**

RAJAN V S. *See* LIM K B *et al,* **157, 161**
RAMSAROOP U. *See* COOVADIA Y M *et al,* **306**
RASHID S, COLLINS M, CORNER J, MORTON R S: Survival of *Candida albicans* on fabric after laundering (correspondence), **277**
Rectal spirochaetosis, **106**
REID K G, YOUNG H: Serogrouping *N gonorrhoeae:* correlation of coagglutination serogroup WII with homosexually acquired infection, **302**
REPESH L A. *See* FITZGERALD T J *et al,* **357**
RIDGWAY G L, ORIEL J D: Advantages of adding a course of tetracycline to single dose ampicillin and probenecid in the treatment of gonorrhoea, **235**
RIDGWAY G L. *See* BOAKES A J *et al,* **309**
Rifampicin and erythromycin combination in treating uncomplicated gonorrhoea in women, **309**
RIOU J Y. *See* LAVITOLA A *et al,* **298**
RO Y S. *See* KIM J H *et al,* **238**
ROBINSON G E, UNDERHILL G S, FORSTER G E, KENNEDY C, McLEAN K: Treatment with acyclovir of genital herpes simplex virus infection complicated by eczema herpeticum, **241**
ROBINSON G E. *See* FORSTER G E *et al,* **402**
Rosoxacin (acrosoxacin), treatment of uncomplicated gonorrhoea with, **157**
Rosoxacin, activity on PPNG, **154**

Rosoxacin treatment of uncomplicated gonorrhoea in men, **231**
Rosoxacin *See also* Acrosoxacin
ROSS M W: STDs in homosexual men: a study of four societies, **52**
ROSS M W: Sociological and psychological predictors of STD infection in homosexual men: a study of four countries, **110**
Rotterdam, hepatitis B antigen and antibody in blood of prostitutes in, **319**
ROY R B. *See* De SILVA A H *et al*, **132**
ROY R B. *See* MOHANTY K C, **186**

SAENSANOH C. *See* PANIKABUTRA K *et al*, **231**
SAETROM K M. *See* KAVLI G *et al*, **274**
Salpingitis, risk of ectopic pregnancy after, **409**
SALVESON A. *See* CSÁNGÓ P A *et al*, **95**
SAMARASINGHE L. *See* GOH B T *et al*, **371**
SARDARI L. *See* BARUAH M C *et al*, **60**
SATO T, KUBO E, YOKOTA M, KAYASHIMA T, TOMIZAWA T: *T pallidum* specific IgM haemagglutination test for serodiagnosis of syphilis, **364**
Saudi Arabia, endemic non-venereal syphilis (bejel) in, **293**
SAWYER N. *See* WEBER J N *et al*, **253**
SCHEIBEL J. *See* HAGDRUP H *et al*, **204**
SEHGAL V N, SHYAMPRASAD A L, BEOHAR P C: The histopathological diagnosis of donovanosis, **45**
SELVARAJU M. *See* BARUAH M C *et al*, **60**
Sexually transmitted diseases at an antenatal clinic in the Gambia, **331**
STD clinic, Sheffield, screening for cervical intraepithelial neoplasia and cancer in, **117**
STD: control in USA, **323**
STD: epidemic in adolescent girls?, **402**
STD, health advisers (contact tracers) in, **269**
STD in British Columbia, **127**
STD in homosexual men, sociological and psychological predictors of: study of four countries, **110**
STD in homosexual men: study of four societies, **52**
STD in Ibadan, Nigeria, contact tracing to control, **114**
STD in Thailand, **62**
STD Research, fifth meeting of International Society for, **129**
STD—third south east Asian and western Pacific regional conference, **64**
Sheffield medium for cultivation of *H ducreyi*, **196**
SHYAMPRASAD A L. *See* SEHGAL V N *et al*, **45**
Singapore, susceptibility to antimicrobials of *N gonorrhoeae* in, **374**
SINGH M: Treatment of anogenital warts with trichloroacetic acid and podophyllin (correspondence), **351**
SINGH V. *See* GOH B T *et al*, **371**
SITHOLE J. *See* LATIF A S *et al*, **29**
SIVA S. *See* TERRY S I *et al*, **83**
SKAUG K. *See* QVIGSTAD E *et al*, **132**
SLATFORD K, CURRIE C: Prevalence of psychosexual problems in patients attending a genitourinary clinic, **398**
SMITH G W. *See* GOH B T *et al*, **371**
SMITH H. *See* MARTIN P M V *et al*, **151**
SMITH J. *See* CHEETHAM D *et al*, **182**
SMITH T. *See* SPENCER R C *et al*, **90**
SNG E H, LIM A L, YEO K L: Susceptibility to antimicrobials of *N gonorrhoeae* isolated in Singapore: implications on the need for more effective treatment regimens and control strategies, **374**
SNG E H. *See* LIM K B *et al*, **157, 161**
SOMMERVILLE R G. *See* HUNTER J M, **387**
SØRENSEN P S. *See* HANSEN K *et al*, **265**
Spectinomycin, activity on PPNG, **154**
SPELMAN D W, BRADFORD D: Intraurethral immunoglobulin in the treatment of non-specific urethritis, **58**
SPENCER R C, SMITH T, TALBOT M D: Ceftizoxime in the treatment of uncomplicated gonorrhoea, **90**
Spirochaetosis, rectal, **106**
Spirochaetosis, venereal, clinical course and treatment in New Zealand white rabbits, **214**
STEINER B, WONG G H W, GRAVES S: Susceptibility of *T pallidum* to the toxic products of oxygen reduction and the nontreponemal nature of its catalase, **14**
STEINER B. *See* WONG G H W *et al*, **285**
STOLZ E. *See* de HOOP D *et al*, **319**
STREET D A, WELLS C, TAYLOR-ROBINSON D, ACKERS J P: Interaction between *T vaginalis* and other pathogenic microorganisms of the human genital tract, **31**
Streptococci, group B, cause of urethritis, **56**
STRUGNELL R A, HANDLEY C J, DRUMMOND L, FAINE S, LOWTHER D A, GRAVES S R: Polyanions in syphilis: evidence that glycoproteins and macromolecules resembling glycosaminoglycans are synthesised by host tissues in response to infection with *T pallidum*, **75**
STRUGNELL R A, HANDLEY C J, LOWTHER D A, FAINE S, GRAVES S R: *T pallidum* does not synthesise in vitro a capsule containing glycosaminoglycans or proteoglycans, **8**
STRUGNELL R. *See* WONG G H W *et al*, **285**
SUMATHIPALA A H T: Insufficient evaluation of acrosoxacin in treating gonorrhoea (correspondence), **349**
SUMMERS R S. *See* LATIF A S *et al*, **29**
Superoxol test, differentiation of gonococcal and non-gonococcal neisseriae by, **87**
SUTHERLAND S. *See* MINDEL A, **189**
Syphilis, early, bone lesions detected by bone scintigraphy in, **265**
Syphilis, early, liver abnormality in, **83**
Syphilis, evaluation of enzyme immunoassay for IgM antibodies to, **288**
Syphilis, hepatitis A and B, and cytomegalovirus infection in homosexual men in Antwerp, **48**
Syphilis, non-venereal (bejel), in Saudi Arabia, **293**
Syphilis, polyanions in, **75**
Syphilis, secondary, with parotitis, **121**
Syphilis, *T pallidum* specific IgM haemagglutination test for serodiagnosis of, **364**
Syphilitic rabbit serum, inhibitory effect on DNA synthesis, **285**
SYRJÄNEN K, VÄYRYNEN M, CASTRÉN O, *et al*: Sexual behaviour of women with human papillomavirus (HPV) lesions of the uterine cervix, **243**

T cells in patients with genital warts, **186**
TALBOT M D. *See* SPENCER R C *et al*, **90**
TALBURT C D. *See* DiGIACOMO R F *et al*, **214**
TAPSALL J W. *See* YOUNG H *et al*, **87**

TAYLOR-ROBINSON D, FURR P M, WEBSTER A D B: Case reports of urethritis (correspondence), **276**
TAYLOR-ROBINSON D. *See* MUNDAY P E *et al*, **384**
TAYLOR-ROBINSON D. *See* STREET D A *et al*, **31**
TERRY S I, HANCHARD B, BROOKS S E H, McDONALD H, SIVA S: Prevalence of liver abnormality in syphilis, **83**
Tetracycline, advantages of adding to ampicillin and probenecid in treatment of gonorrhoea, **235**
Thailand, STD in, **62**
The Gambia, STD at an antenatal clinic in, **331**
THIN R N: Health advisers (contact tracers) in sexually transmitted disease, **269**
THIN R N. *See* GREENHOUSE P R D H, **346**
TJIAM K H, van HEIJST B Y M, de ROO J C, *et al:* Survival of *C trachomatis* in different transport media and at different temperatures: diagnostic implications, **92**
TOMIZAWA T. *See* SATO T *et al*, **364**
TOVEY S. *See* BOAKES A J *et al*, **309**
Treponema pallidum, attachment to finbronectin, laminin, and collagens IV and I, and blockage of attachment by immune rabbit IgG, **357**
T pallidum, immunosuppressive activity of infiltrating mononuclear cells in infected rabbit testes, **1**
T pallidum in syphilis in man, enzyme immunoassay for IgM antibodies to, **288**
T pallidum, non-synthesis of glycosaminoglycans or proteoglycans, **8**
T pallidum specific IgM haemagglutination test for serodiagnosis of syphilis, **364**
T pallidum, susceptibility to toxic products of oxygen reduction and non-treponemal nature of its catalase, **14**
Trichloroacetic acid and podophyllin in treating anogenital warts, **351**
Trichomonas vaginalis and other pathogenic microorganisms of the human genital tract, interaction between, **31**
T vaginalis, ELISA for detecting antibody to, **164**
T vaginalis, growth of *Candida* species in liquid culture medium for, **39**
T vaginalis, pathogenic, cytotoxicity to cell culture monolayers, **99**
TYRELL D A J. *See* CSONKA G W, **178**

UNDERHILL G S. *See* ROBINSON G E *et al*, **241**
United Kingdom, clinical aspects of acquired immune deficiency syndrome in, **253**
United States of America, control of STD, **323**
Urethral syndrome in women attending an STD clinic, **65**
Urethritis, case reports of, **276**
Urethritis caused by group B streptococci, **56**
Uterine cervix, sexual behaviour of women with human papillomavirus lesions of, **243**

Vaginosis, anaerobic, air dried vaginal specimens in diagnosis of, **350**
Van CAEKENBERGHE D L. *See* Van ROOSBROECK R J *et al*, **350**
van HEIJST B Y M, *See* TJIAM K H *et al*, **92**
van KLINGEREN B. *See* ANSINK-SCHIPPER M C *et al*, **23, 141**
Van ROOSBROECK R J, PROVINCIAEL D R, Van CAEKENBERGHE D L: Activity of the newer quinolones against *Chlamydia trachomatis* (correspondence), **350**
van STRIK R. *See* de HOOP D *et al*, **319**
van WIJNGAARDEN L J. *See* ANSINK-SCHIPPER M C *et al*, **141**
VÄYRYNEN M. *See* SYRJÄNEN K *et al*, **243**
VELIATH A J. *See* BARUAH M C *et al*, **60**
VOLDEN G. *See* KAVLI G *et al*, **274**

WARA D W. *See* CRAWFORD D H *et al*, **258**
Warts, anogenital, trichloroacetic acid and podophyllin treatment of, **351**
Warts, genital, thymus derived lymphocytes (T cells) in, **186**
WAUGH M A: MSSVD: secretary's report to the 62nd annual general meeting 1983, **273**
WEBER J N, CARMICHAEL D J, SAWYER N, PINCHING A J, HARRIS J R W: Clinical aspects of AIDs in the United Kingdom, **253**
WEBSTER A D B. *See* TAYLOR-ROBINSON D *et al*, **276**
WEISMANN K. *See* HANSEN K *et al*, **265**
WELLER I. *See* CRAWFORD D H *et al*, **258**
WELLS C. *See* STREET D A *et al*, **31**
WERTHEIM-van DILLEN P. *See* COUTINHO R A *et al*, **249**
WICHER K. *See* WICHER V, **1**
WICHER V, WICHER K: Studies of rabbit testes infected with *T pallidum*. III. Immunosuppressive activity of infiltrating mononuclear cells, **1**
WILSON C. *See* CHEETHAM D *et al*, **182**
WONG G H W, STEINER B, STRUGNELL R, FAINE S, GRAVES S: Inhibitory effect of syphilitic rabbit serum on DNA synthesis in rabbit cells in vitro, **285**
WONG G H W. *See* STEINER B *et al*, **14**
WOUDSTRA R K. *See* ANSINK-SCHIPPER M C *et al*, **23, 141**

YATES V M. *See* KING C M *et al*, **406**
YEO K L. *See* LIM K B *et al*, **157, 161**
YEO K L. *See* SNG E H *et al*, **374**
YOKOTA M. *See* SATO T *et al*, **364**
YOUNG H, HARRIS A B, TAPSALL J W: Differentiation of gonococcal and non-gonococcal neisseriae by the superoxol test, **87**
YOUNG H. *See* REID K G, **302**

Br J Vener Dis 1984;**60**:419-25

Index to subjects of articles abstracted, 1984

**Indicates that only the title is given*

Abscess, cutaneous gonococcal: case report, **353***
Acquired immune deficiency syndrome, **72***, **211***
AIDS associated *P carinii* pneumonia in homosexual men, complications in co-trimoxazole treatment, **211***
AIDS, bacteremia due to *M avium-intracellulare* in, **284***
AIDS, cluster of cases in, **355***
AIDS, hepatitis B surface antigen could harbour infectious agent of, **139***
AIDS, immunodeficiency in female sexual partners of men with, **73***
AIDS in male homosexuals, diminished capacity to make interferon alpha in vitro, **284***
AIDS, lung pathology in homosexuals at autopsy, **284***
AIDS manifesting as anogenital herpes zoster eruption, **283***
AIDS presenting as severe genital herpes, **355***
AIDS, prodromal form, **72***
AIDS, prodromal, in Australian homosexual men, **72***
AIDS, role of hepatitis B, **139***
AIDS with severe gastro-intestinal manifestations in Haiti, **139***
Acquired immune dysfunction in homosexual men, immunologic profiles, **72***
Acyclovir, in vitro sensitivity in genital herpes simplex viruses, **211***
Acyclovir, intravenous, in genital herpes, **211***
Acyclovir, intravenous, in primary genital herpes, **71***
Acyclovir ointment, no effect on dark field examination in primary syphilis, **280***
Acyclovir, oral treatment of first and recurrent genital herpes simplex virus, **211***
Acyclovir, topical, in experimental genital herpes simplex virus infections in mice, **283***
Acyclovir, topical, in genital herpes, **211***
Acyclovir, topical, intravenous and oral treatment of first episode genital herpes simplex virus infections, **211***
Africa, eastern and southern, isolation of *M hominis* from genital ulcerations, **282***
American Indians, *C trachomatis* and mycoplasma infections during pregnancy, **283***
Amoxicillin, treponemicidal levels in CSF, **135**
Ampicillin resistant plasmids of *H ducreyi*, **210***
Ampicillin resistant plasmids of *N gonorrhoeae*, **210***
Ampicillin, rosoxacin and probenecid, comparison in uncomplicated gonorrhoea, **354***
Anetoderma secondary to syphilis, **68**
Antichlamydial immunoglobulin G and M antibodies detected by ELISA, **137***
Aortic insufficiency in juvenile onset Reiter's syndrome, **354***
Arthritis and chlamydial infection, **71***
Arthritis, post infectious and disseminated gonococcal infection, **69***
Arthritis, rheumatoid, coexistence of Reiter syndrome in, **71***
Arthritis, septic, gonococcal osteomyelitis complicating, **209**
Australia, prodromal acquired immune deficiency syndrome in homosexual men, **72***
Aztreonam and new ß-lactam antibiotics, activity against PPNG, **282***
Aztreonam in experimental syphilis in rabbits, **353***

Bay L9139 compared with ketoconazole and Bay N133 in treatment of vaginal candidiasis, **138***
Bay N133 compared with ketoconazole and Bay L9139 in treatment of vaginal candidiasis, **138***
ß-lactam antibiotics and aztreonam activity against PPNG, **282***
Bleomycin in treatment of warts, **138***
Borrelia hispanica and *T pallidum*, lack of endotoxin, **208***

Candida albicans, adherence to human vaginal epithelial cells in vitro, **138***
C albicans, effect of ketoconazole on adherence to vaginal epithelial cells, **211***
C albicans, inhibition and killing by imidazoles in vitro, **354***
C albicans, in vitro and in vivo adherence to mucosal surfaces, **211***
C albicans: killer system, **71***
Candidal vaginitis, experimental, ketoconazole in prevention of, **354***
Candidiasis and ketoconazole, **71***
Candidiasis, vaginal, comparison between oral ketoconazole and topical miconazole, **354***
Candidiasis, vaginal, ketoconazole, Bay N133 and Bay L9139 treatment compared, **138***
Candidosis, vaginal, oral ketoconazole in, **71***, **211***
Cefamandole naftate in acute gonococcal salpingitis, **70***
Cefoxitin cures uncomplicated gonococcal urethritis caused by PPNG, **135***
Ceftizoxime in PPNG, **354***
Ceftriaxone and spectinomycin, comparative study in uncomplicated gonorrhoea in males, **69***, **137**
Ceftriaxone: single-dose treatment of laboratory acquired gonococcal conjunctivitis, **354***
Cephradine, *G vaginalis* susceptibility to, **139***
Cephradine in syphilis, **352***
Cervical condylomata, human papilloma virus in, **138***
Cervical intraepithelial neoplasia, papillomavirus in condylomas with and without, **284**
Cervical intraepithelial neoplasia, prognostic significance of herpes simplex virus antibody status in women with, **71***
Cervical neoplasia and genital warts, **211**
Cervical neoplasia, association of papilloma virus with, **72**
Cervical neoplasia, early, and human papilloma virus type 16, **355**

Cervical wart virus infection, intraepithelial neoplasia, and carcinoma, **212***
Cervicitis, *M hominis* in, **282***
Chancroid and *H ducreyi* in Nairobi, Kenya, **283**
Chancroid, antimicrobial therapy correlated with in vitro sensitivity, **73***
Chancroid, effectiveness of erythromycin, **211***
Chancroid in Kenya: rifampicin and trimethoprim therapy, **138***
Chancroid in Nigeria, **211***
Chancroid, single dose treatment with trimethoprim-sulfametrole, **73***
Chancroid therapy: cases confirmed by culture, **72**
Chlamydia and mycoplasma, frequently mixed infection in gonorrhoeic urethritis, **69***
Chlamydia infection, animal models of, **71***
Chlamydia psittaci, amino acid requirements of strains growing in McCoy cells, **137***
Chlamydia trachomatis, amino acid requirements of strains growing in McCoy cells, **137***
C trachomatis and in vitro fertilisation, **282***
C trachomatis and lower urinary tract symptoms in women, **70***
C trachomatis, antibody to immunity relationship in re-infection of mouse genital tract with, **354***
C trachomatis, association with HeLa cells, **70***
C trachomatis, calcium alginate for recovery of, **137***
C trachomatis, cervical cytology and, **71***
C trachomatis cervical, in pregnancy, **137***
C trachomatis, comparison of four serological methods for detecting antibodies to, **70***
C trachomatis, comparison of two isolation systems, **137***
C trachomatis, detection of antibodies by ELISA, **70***
C trachomatis: epididymitis, **354***
C trachomatis, failure of ß-lactam antibiotics, **210***
C trachomatis, how sensitive is Papanicolaou smear in diagnosis of? **283***
C trachomatis, immunoglobulin G and M antibodies, **71***
C trachomatis, infection during pregnancy in American Indians, **283***
C trachomatis infection in Reiter's syndrome, **282**
C trachomatis infections, epidemiology of, **210***
C trachomatis infections in women in inner city general practice, **137***
C trachomatis isolates, immunotypes in Seattle, Washington, **137***
C trachomatis, isolation, and detection of antichlamydia antibodies, **71***
C trachomatis, lymphogranuloma venereum strain, **210***
C trachomatis, methylamine and monodansylcadaverine effect on McCoy cells, **70***
C trachomatis, major outer membrane protein detection, **137***
C trachomatis, prevalence of antibodies in Manitoba, **210***
C trachomatis, rifamycins alone and with other antibodies against, **137***
C trachomatis stimulates human peripheral blood B lymphocytes to proliferate and secrete polyclonal immunoglobulins in vitro, **283***
C trachomatis, trifluoperazine inhibition of, **210***
C trachomatis urethral infection in men, **283***
C trachomatis, use of ELISA for detection of antibodies to, **70***
Chlamydiae causing STD: a review, **137***
Chlamydial cervicitis, experimental, colposcopic and histological study in marmosets, **354***
Chlamydial classification, development and structure, **70***
Chlamydial disease: introduction, **70***
Chlamydial infection and arthritis, **71***
Chlamydial infection in lower genital tract in women, **71***
Chlamydial infections, immunity in human genital tract? **137***
Chlamydial infections in pregnant women and infants, **71***
Chlamydial infections, rifampin in, **137***
Chlamydial proctitis presenting as symptomatic vaginal mass, **283***
Chlamydial salpingitis, **71***
Chlamydial serology, **70***
Chlamydial serology in fertile and infertile women, **283***
Circumcision and STD, **212***
Condyloma accuminatum: therapy review, **72***
Condyloma, genital, carbon dioxide laser treatment during pregnancy, **284***
Condylomas, cervical, with and without cervical intraepithelial neoplasia, papillomavirus in, **284**
Condylomata, cervical, human papillomavirus in, **138***
Conjunctivitis, gonococcal, laboratory acquired, ceftriaxone in, **354***
Conjunctivitis, *N gonorrhoeae,* **136***
Co-trimoxazole, complications in AIDS associated *P carinii* pneumonia in homosexual men, **211***

Denmark, treatment of early infectious syphilis in, **280**

Endometritis, *M hominis* in, **282***
Enteritis, syphilitic, **352**
Epididymitis: aetiology and pathogenesis with special consideration of *C trachomatis* and *U urealyticum,* **354***
Erythromycin, effectiveness in chancroid, **211***
Erythromycin failure in syphilis in pregnant woman, **68***
Escherichia coli, molecular cloning of *T pallidum* DNA in, **135***
E coli, T pallidum protein antigens in, **135***

Fellatio, gonococcal urethritis due to, **69***
Fitz-Hugh Curtis syndrome, **136***

Gabon (Haut-Ogoové), gonococcal infections in, **353***
Gardnerella vaginalis associated leucorrhoea, **72***
G vaginalis, culture in laboratory determination of non-specific vaginitis, **139***
G vaginalis, susceptibility to cephradine, **139***
Genital infections in men, **71***
Genital infections (virus), **211***
Genital tract infection, female, long term complication by intracellular micro-organisms of, **284***
Genital ulcerations in Swaziland, **73***
Genital ulcerations, isolation of *M hominis* in eastern and southern Africa, **282***
Genito-anal-rectal syndrome: late manifestations of lymphogranuloma inguinale, **73***
Ghana, resurgence of yaws in, **135***
Gonococcal abscess, cutaneous, case report, **353***
Gonococcal arthritis-dermatitis syndrome, popliteal cyst involvement with, **136***
Gonococcal attachment to eukaryotic cells, **281***

Gonococcal conjunctivitis, laboratory acquired, single-dose ceftriaxone treatment, **354***
Gonococcal endocarditis, pulmonary valve, **136**
Gonococcal infection, complicated, analysis of antigen specificity of human serum immunoglobulin G immune response to, **281**
Gonococcal infection, disseminated, **209**, **353***
Gonococcal infection, disseminated, and post infectious arthritis, **69***
Gonococcal infections, ABO blood group and susceptibility, **70***
Gonococcal infections, blood groups and susceptibility, **69***
Gonococcal infections in Gabon (Haut-Ogoové), **353***
Gonococcal infections, update on treatment recommendations, **69***
Gonococcal lipopolysaccharide bovine serum albumin conjugates, antibody response to, **136***
Gonococcal osteomyelitis complicating septic arthritis, **209**
Gonococcal outer membrane proteins, degradation of, **210***
Gonococcal peptidoglycan, O-acetylated, resistance to degrading enzymes, **70***
Gonococcal salpingitis, acute, cefamandole naftate in, **70***
Gonococcal sensitivity to fecal lipids mediated by Mtr-independent mechanism, **70***
Gonococcal urethritis due to fellatio, **69***
Gonococcal urethritis, uncomplicated, caused by penicillinase producing *N gonorrhoeae*, cefoxitin cures, **135***
Gonococcal W serogroups in Scandinavia, **209***
Gonococci, spectinomycin resistant, **282***
Gonorrhoea, acute: mixed chlamydia and mycoplasma infection frequent in gonorrhoeic urethritis, **69***
Gonorrhoea, antigen detection for diagnosis of, **353***
Gonorrhoea, enzyme immunoassay diagnosis of, **281***
Gonorrhoea, geography of, **73**
Gonorrhoea in Sydney prostitution house, **356***
Gonorrhoea patients, establishing efficient interview periods for, **212***
Gonorrhoea, rectal and anorectal *N meningitidis* in men, **69**
Gonorrhoea, uncomplicated, comparison of rosoxacin, ampicillin and probenecid, **354***
Gonorrhoea, uncomplicated, rosoxacin in, **354***
Gonorrhoea, uncomplicated in males, comparison of ceftriaxone and spectinomycin, **69***, **137**
Gonorrhoea, uncomplicated in males, single dose treatment trial, **70***
Gonorrhoea, uncomplicated in men, single dose moxalactam, **282***
Gonorrhoea, uncomplicated in women: rifampicin treatment, **210***
Gonozyme test, preliminary evaluation, **281**
Greenland, early infectious syphilis in, **208***

Haemophilus decreyi, ampicillin resistant plasmids of, **210***
H ducreyi and chancroid in Nairobi, Kenya, **283**
H ducreyi and *N gonorrhoeae*, common β-lactamase specifying plasmid in, **354***
H ducreyi, comparison of media for primary isolation of, **355***
H ducreyi, isolation from genital ulcerations in white men in Johannesburg, **72**
H ducreyi, monoclonal antibodies reactive with all strains of, **355***
H ducreyi, oropharyngeal infection, **139***
H ducreyi, plasmid mediated tetracycline resistance in, **355***
H ducreyi, susceptibility to 34 antimicrobial products, **211***
H ducreyi, virulence factors, **284**
Haiti, AIDS with severe gastro-intestinal manifestations in, **139***
Hepatitis B, chronic, in homosexual males, spontaneous clearance and reactiviation of hepatitis B virus infection, **284***
Hepatitis B, role in AIDS, **139***
Hepatitis B surface antigen could harbour infectious agent of AIDS, **139***
Hepatitis B, vaccine in homosexual men, **211***
Hepatitis B virus, vaccination in homosexuals, **73***
Herpes, genital, infection in pregnant women near term, **355***
Herpes, genital, primary, intravenous acyclovir in, **71***
Herpes, genital, recrudescent, in guinea pigs, lack of efficacy of AMP, **211***
Herpes, genital, severe, AIDS presenting as, **355***
Herpes, genital, topical acyclovir in, **211***
Herpes, genital, treatment including intravenous acyclovir, **211***
Herpes genitalis and neonatal herpes infections, increase in laboratory confirmed cases in Israel, **283***
Herpes infection, genital, symptomatic, therapy review, **72***
Herpes infections, neonatal, increase in laboratory confirmed cases in Israel, **283***
Herpes progenitalis, incidence and trend, **138***
Herpes simplex, clinical manifestations, **72***
Herpes simplex, current concepts, **72***
Herpes simplex infections, recurrent, and erythema multiforme, **138***
Herpes simplex, management in pregnant women and neonates, **138***
Herpes simplex virus antibody status, prognostic significance in women with cervical intraepithelial neoplasia, **71***
Herpes simplex virus, detection by ELISA, **355**
Herpes simplex virus, detection with combination of human fibroblast cell cultures and peroxidase antiperoxidase staining, **283***
Herpes simplex virus, genital, in pregnancy, **355***
Herpes simplex virus in cell culture, rapid detection and identification by direct immunoperoxidase staining, **138***
Herpes simplex virus infections, genital, experimental in mice, topical acyclovir in, **283***
Herpes simplex virus, in vitro sensitivity to acyclovir, **211***
Herpes simplex virus, oral acyclovir treatment of first and recurrent infections, **211***
Herpes simplex virus type 1, variable restriction endonuclease sites from encephalitic, facial, and genital lesions and ganglia, **283***
Herpes simplex virus, type 2, determination by ELISA, **138***
Herpes simplex virus, type 2, sexual and socioeconomic factors, **138***
Herpes simplex virus, types 1 and 2, in penile lesions of college men, **355***
Herpes simplex virus, types 1 and 2, use of monoclonal antibodies to differentiate isolates by neutralisation and reverse passive haemagglutination tests, **355***
Herpes virus, 9-B-D-Arabinofuranosyladenine evaluation, **211***

Herpes virus disease, genital, recurrent, double blind study of Inosiplex, **355***
Herpes zoster, anogenital, AIDS manifesting as, **283***
Homosexual men, Australian, prodromal AIDS in, **72***
Homosexual men, community-acquired opportunistic infections in, **73***
Homosexual men, hepatitis B vaccine in, **211***
Homosexual men, immunodeficiency and Kaposi's sarcoma, immunological studies, **72***
Homosexual men: immunologic profiles of acquired immune dysfunction, **72***
Homosexual men: lung pathology in AIDS, at autopsy, **284***
Homosexual men, national case-control study of Kaposi's sarcoma and *P carinii* pneumonia in, **139***
Homosexual men, STD virus infections in, **211***
Homosexual men with AIDS, diminished capacity to make interferon-α in vitro, **284***
Homosexual men with chronic hepatitis B, spontaneous clearance and reactiviation of hepatitis B virus infection, **284***
Homosexuals and enteric infections in a London health district, **72**
Homosexuals, vaccination against hepatitis B virus, **73***
Human papillomavirus, association with cervical neoplasia, **72**
Human papillomavirus in cervical condylomas with and without cervical intraepithelial neoplasia, **284**
Human papillomavirus in cervical condylomata, **138***
Human papilloma virus type 16 and early cervical neoplasia, **355**

Inosiplex, double blind study of safety in treatment of recurrent genital herpes virus disease, **355***
Israel: increase in laboratory confirmed cases of herpes genitalis and neonatal herpes, **283***

Johannesburg, isolation of *H ducreyi* from genital ulceration in white men in, **72**

Kaposi's sarcoma and immunodeficiency, immunological studies in homosexual men, **72***
Kaposi's sarcoma and *P carinii* pneumonia in homosexual men, national case-control study, **139***
Kenya: chancroid therapy with rifampin, and with trimethoprim, **138***
Ketoconazole adherence to vaginal epithelial cells in *C albicans*, **211***
Ketoconazole and candidiasis, **71***
Ketoconazole compared with Bay N133 and Bay L9139 in treatment of vaginal candidiasis; **138***
Ketoconazole in prevention of experimental candidal vaginitis, **354***
Ketoconazole, oral, and topical miconazole, comparison in vaginal candidiasis, **354***
Ketoconazole, oral, in vaginal candidosis, **211***

Leucorrhoea, *G vaginalis* associated, **72***
Liverpool, PPNG in, 1977-82, **284***
London health district, homosexuals and enteric infections in, **72**
Lupus erythematosus, systemic, secondary syphilis mimicking, **352***
Lupus erythematosus, systemic with Reiter's syndrome, **210***
Lymphogranuloma inguinale and genito-anal-rectal syndrome, **73***
Lymphogranuloma venereum, **73***
Lymphoma, histiocytic, rectal syphilis mimicking, **208**

Manitoba, prevalence of antibodies to *C trachomatis* in healthy population, **210***
Metronidazole, *T vaginalis* susceptibility to, **138***
Metronidazole, trichomonicidal activity, **71***
Metronidazole uptake and metabolism of *T vaginalis*, **210***
Miconazole, topical, and oral ketoconazole, comparison in vaginal candidiasis, **354***
Minocycline resistance among clinical isolates of *U urealyticum*, **282***
Moxalactam, single dose treatment of uncomplicated gonorrhoea in men, **282***
Mycobacterium avium-intracellulare, bacteremia in AIDS due to, **284***
Mycoplasma and chlamydia, frequently mixed infection in gonorrhoeic urethritis, **69***
Mycoplasma hominis, epidemiology of, **282***
M hominis, evaluation of culture media for recovery from genital tract, **282***
M hominis in cervicitis and endometritis, **282***
M hominis in non-specific vaginitis, **282***
M hominis, in vitro activity of norfloxacin, **210***
M hominis, isolation from genital ulcerations in eastern and southern Africa, **282***
M hominis, neglected human pathogen, **137**
Mycoplasma species, evaluation of PPLO, AZB, E and NYC agar media for isolation from genital tract of, **282***
Mycoplasmal infection during pregnancy in American Indians, **283***
Mycoplasmal infections in pregnancy, **137***
Mycoplasmal infections of urogenital tract, particularly non-gonococcal urethritis, **282***
Mycoplasmal infections of urogenital tract, monkey animal model for study of, **282***
Mycoplasmas, genital, in amniotic fluid, **70***
Mycoplasmas, genital, role in non-gonococcal urethritis and prostatitis, **282***
Mycoplasmas, role in upper genital tract in women, **282***
Myelitis, transverse, due to meningovascular syphilis, **352**

Nairobi, Kenya, chancroid and *H ducreyi*, **283**
Neisseria gonorrhoeae, active transport inhibition by pyocin 103, **69***
N gonorrhoeae, ammonium bicarbonate in transgrow bottles, **210***
N gonorrhoeae, ampicillin resistant plasmids of, **210***
N gonorrhoeae, amylase inhibits by degrading starch, **210***
N gonorrhoeae and *H ducreyi*, common β-lactamase specifying plasmid in, **354***
N gonorrhoeae and *N meningitidis*, lipopolysaccharide banding patterns of, **353***
N gonorrhoeae, antigenic variation during infection with, **353***
N gonorrhoeae antigens, enzyme immunoassay for detection of, **353***
N gonorrhoeae, antimicrobial susceptibility of strains in Rome, **354***

N gonorrhoeae, auxotype attachment to cells of African, European, and Indian donors, **281***
N gonorrhoeae, auxotypes and susceptibility to antibiotics, **69***
N gonorrhoeae, auxotyping in UK, **136**
N gonorrhoeae, β-lactamase positive, **70*** (bis)
N gonorrhoeae, β-lactamase producing, **353***
N gonorrhoeae, binding by lectin like receptors on human phagocytes, **353***
N gonorrhoeae, C5 b-9 high molecular weight complexes, **136***
N gonorrhoeae, causing ophthalmia neonatorum, **136***
N gonorrhoeae, changes in prevalence among black and white patients, **69***
N gonorrhoeae, chemotaxis of human polymorphonuclear leukocytes towards, **281***
N gonorrhoeae, confirmation by Gono Gen coagglutination, **210***
N gonorrhoeae conjunctivitis, **136***
N gonorrhoeae, conservation of peptide structure of outer membrane protein macro-molecular complex from, **353***
N gonorrhoeae, cultivation under low oxygen conditions, **70***
N gonorrhoeae, cytotoxicity for human peripheral blood phagocytes, **70***
N gonorrhoeae, DNA hybridisation technique for detection of, in men with urethritis, **210***
N gonorrhoeae, evolutionary analysis by restriction endonucleases, **69***
N gonorrhoeae, factors affecting phagocytosis in ABO blood group, **70***
N gonorrhoeae, HeLa cell attachment, inhibition with monoclonal antibody, **210***
N gonorrhoeae, high performance liquid chromatography and 125-I-labelled mapping, **136***
N gonorrhoeae, identification with lectins and chromogenic substances, **353***
N gonorrhoeae in synovial fluid, **210***
N gonorrhoeae, in vitro activity of norfloxacin against, **282***
N gonorrhoeae, induction of serum resistance by low molecular weight fractions, **136*** (bis)
N gonorrhoeae infections in women in inner city general practice, **137***
N gonorrhoeae, invasion of mucosal barriers by, **353***
N gonorrhoeae, in vitro susceptibility to cephalosporins of different generations and penicillin G, **282***
N gonorrhoeae isolation, comparison of three culture transport mechanisms, **136***
N gonorrhoeae, isolation on selective and non-selective media in STD clinic, **281***
N gonorrhoeae, killed, and gonococcal lipopolysaccharide, arthritis in rabbits induced by, **353***
N gonorrhoeae, lipopolysaccharide and serum resistance, **70***
N gonorrhoeae, lipopolysaccharide in serum sensitivity of, **353***
N gonorrhoeae, penicillinase producing, antimicrobial susceptibility, **210***
N gonorrhoeae, penicillinase producing, aztreonam and new β-lactam antibiotics activity against, **282***
N gonorrhoeae, penicillinase producing, causing uncomplicated gonococcal urethritis, cefoxitin cures, **135***
N gonorrhoeae, penicillinase producing, in Liverpool, **284***
N gonorrhoeae, penicillinase-producing, urethritis, ceftizoxime therapy, **354***
N gonorrhoeae, phagocytic killing by human monocytes, **137***
N gonorrhoeae, pilated, inhibition of anion transport in human erythrocytes by, **353***
N gonorrhoeae, protein 1 serotype and disseminated infection, **70***
N gonorrhoeae, purification and partial characterisation of opacity-associated proteins of, **353***
N gonorrhoeae, quantitative disc method for storage, **136***
N gonorrhoeae, role of isohaemagglutinins, **210***
Neisseria meningitidis and *N gonorrhoeae,* lipopolysaccharide banding patterns of, **353***
N meningitidis anorectal infections and rectal gonorrhoea in men, **69**
N meningitidis, invasion of mucosal barriers by, **353***
Neuroretinitis, syphilitic, **68**
Neurosyphilis, untreated and treated, neurological features and intrathecal synthesis of IgG antibodies to *T pallidum* in, **280***
Nigeria, chancroid in, **211***
Nigeria, trichomonal vaginitis in women, **354***
Non-gonococcal urethritis and *Ureaplasma urealyticum,* **137***
Non-gonococcal urethritis, characteristics of Gram-negative anaerobe isolated from men with, **354***
Non-gonococcal urethritis of urogenital tract, **282***
Non-gonococcal urethritis, role of mycoplasmas, **282*** (bis)
Non specific vaginitis and other genital infections in three clinics, **137***
Non-specific vaginitis, *G vaginalis* in laboratory determination of, **139***
Non-specific vaginitis, *M hominis* in, **282***
Non-specific vaginosis, response of curved anaerobic bacteria to antimicrobial therapy, **211***
Norfloxacin, in vitro activity against *M hominis* and U urealyticum, **210***
Norfloxacin, in vitro activity against *N gonorrhoeae,* **282***

Ophthalmia neonatorum caused by *N gonorrhoeae,* **136***
Osteomyelitis, gonococcal, complicating septic arthritis, **209**

Papillomavirus. *See* Human papillomavirus
Paul-Bunnel related antigen in syphilis and leprosy, **69***
Pediculosis pubis and scabies, treatment of, **72***
Penicillin and early syphilis, **352*** (bis)
Penile lesions of college men, incidence of herpes simplex virus types 1 and 2 in, **355***
Penile ulcer, solitary, associated with infectious mononucleosis, **139***
Pneumocystis carinii pneumonia and Kaposi's sarcoma in homosexual men, **139***
Popliteal cyst involvement with gonococcal arthritis-dermatitis syndrome, **136***
Pregnancy, carbon dioxide laser treatment of genital condyloma during, **284***
Pregnancy, cervical *C trachomatis* in, **137***
Pregnancy, *C trachomatis* and mycoplasma infections in American Indians during, **283***
Pregnancy, mycoplasmal infections in, **137***

Pregnancy, prevalence of genital herpes simplex virus in, **355***
Pregnant woman, erythromycin failure in syphilis in, **68***
Pregnant women and infants, chlamydial infections in, **71***
Pregnant women and neonates, herpes simplex management, **138***
Probenecid, rosoxacin and ampicillin, comparison in uncomplicated gonorrhoea, **354***
Prostatitis, role of genital mycoplasmas, **282***
Prostitution and STD, **356***
Prostitution house in Sydney, gonorrhoea in, **356***

Reiter's syndrome, *C trachomatis* in men with, **282**
Reiter's syndrome, coexistence of rheumatoid arthritis in, **71***
Reiter's syndrome, juvenile onset, aortic insufficiency in, **354***
Reiter's syndrome, systemic lupus erythematosus with, **210***
Rifampicin therapy in treatment of uncomplicated gonorrhoea in women, **210***
Rifampicin and trimethoprim in treatment of chancroid in Kenya, **138***
Rifampin in chlamydial infections, **137**
Rifamycins alone and in combination against *C trachomatis*, **137***
Rome, antimicrobial susceptibility of *N gonorrhoeae* in, **354***
Rosoxacin, ampicillin and pronenecid, comparison in uncomplicated gonorrhoea, **354***
Rosoxacin in uncomplicated gonorrhoea, **354***

Salpingitis, chlamydial, **71***
Salpingitis, gonococcal, acute, cefamandole naftate in, **70***
Scabies and pediculosis pubis, treatment of, **72***
Scandinavia, gonococcal W serogroups in, **209***
Seattle, Washington, immunotypes of *C trachomatis* isolates, **137***
STD and circumcision, **212***
STD and prostitution, **356***
STD, chlamydiae and viruses causing, **137***
STD in sexually abused children, **138***
Sexually transmitted virus infections in homosexual men, **211***
Spectinomycin and ceftriaxone, comparative study in uncomplicated gonorrhoea in males, **69***, **137**
Spectinomycin resistant gonococci, **282***
Swaziland, genital ulcerations in, **73***
Sydney prostitution house, gonorrhoea in, **356***
Syphilis, anetoderma secondary to, **68**
Syphilis, auditory brainstem responses and cerebrospinal fluid abnormalities, correlation between, **280***
Syphilis, cephradine treatment, **352***
Syphilis, cerebrospinal fluid examination in, **68***
Syphilis, congenital, economic evaluation of maternal screening to prevent, **280***
Syphilis, congenital, late, stigmata of, **135***
Syphilis, early, and penicillin, **352*** (bis)
Syphilis, early, central nervous system involvement, **208***
Syphilis, early infectious, in Greenland, **208***
Syphilis, early infectious, treatment in Denmark, **280**
Syphilis, experimental, circulating immune complexes, **208***
Syphilis, experimental, humoral immune response to polypeptides of *T pallidum* in, **209***
Syphilis, experimental in rabbits, aztreonam treatment, **353***
Syphilis, experimental, isolation and preliminary characterisation of circulating immune complexes from rabbits with, **208***
Syphilis, haemagglutination treponemal tests, **135***
Syphilis, immune serum confers protection against, **135***
Syphilis, immunoglobulins M and G immune response to protein antigens of *T pallidum*, **280***
Syphilis in pregnant woman, erythromycin failure, **68***
Syphilis, meningovascular, computerised tomographic findings, **68***
Syphilis, meningovascular, transverse myelitis due to, **352**
Syphilis, primary, acyclovir ointment does not affect the dark field examination in, **280***
Syphilis, rectal, mimicking histiocytic lymphoma, **208**
Syphilis, secondary, **69***
Syphilis, secondary, after orthotopic liver transplatation, **68**
Syphilis, secondary, mimicking systemic lupus erythematosus, **352***
Syphilis, simplified ELISA method for, **135***
Syphilis, toluidine red unheated serum test for, **208***
Syphilis, tranfusion: case report, **280**
Syphilis, update on recommendations for treatment, **68***
Syphilitic enteritis, **352**
Syphilitic neuroretinitis, **68**

Tetracycline resistance, plasmid mediated, in *H ducreyi*, **355**
Transfusion syphilis: case report, **280**
Treponema pallidum and *Borrelia hispanica*, lack of endotoxin, **208***
T pallidum cells in vitro, enumeration by enzyme-linked immunosorbent assay, **353***
T pallidum, cloning of antigen genes in *E coli*, **208***
T pallidum, cross-reactivity with *T pertenue*, **208***
T pallidum DNA, molecular cloning and expression in *E coli*, **135***
T pallidum, humoral immune response in experimental syphilis to polypeptides of, **209***
T pallidum, hyaluronidase activity in, **280**
T pallidum, immunisation of rabbits with *Spirochaeta aurantia* does not induce resistance to, **352**
T pallidum, immunoglobulins M and G immune response to protein antigens in human syphilis, **280***
T pallidum, inhibition of macromolecular syntheses by, **135***
T pallidum, lack of endotoxin in, **208***
T pallidum, monoclonal antibodies that recognise, **135***
T pallidum, monoclonal IgM smooth muscle antibody, **69**
T pallidum (Nicholls), cultivated with mamalian cells in vitro, role of respiratory protection on increased survival of, **281**
T pallidum, protein antigens and profiles, **209**
T pallidum protein antigens in *E coli*, **135***
T pallidum, relationship between neurological features and intrathecal synthesis of IgG antibodies in human neurosyphilis, **280***
Treponema pertenue, cross-reactivity with *T pallidum*, **208***
T pertenue, protein antigens and profiles, **209**
Treponemal antigens, molecular characterisation of, **69***
Treponemal tests, role in therapeutic decision making, **69***
Treponematoses endemic in the 1980's, **135***

Treponematosis, endemic, in rural Sahel region of Upper Volta, **355**
Trichomonas vaginalis, α 1 antitrypsin acquisition by, **71***
T vaginalis, arginine catabolism pathway in, **71***
T vaginalis, beta-haemolytic activity of, **138***
T vaginalis, immunochemical analysis of antigen, **138***
T vaginalis infection, two serological tests for, **71**
T vaginalis infections, treatment for, **71***
T vaginalis, metabolism and metronidazole uptake in, **210***
T vaginalis, monoclonal antibodies for detecting specific and common antigens of, **283**
T vaginalis, natural macrophage cytotoxicity, **138***
T vaginalis, polyamines in, **210***
T vaginalis, susceptibility to metronidazole, **138***
T vaginalis, viability in vitro at four temperatures, **138***
Trichomonal vaginitis in Nigerian women, **354***
Trimethoprim and rifampicin in treatment of chancroid in Kenya, **138***
Trimethoprim-sulfametrole in chancroid, **73***

United Kingdom, auxotyping of *N gonorrhoeae* in, **136**
Upper Volta, Sahel region, endemic treponematosis in, **355**
Ureaplasma urealyticum associated with non-gonococcal urethritis, **137***
U urealyticum: epididymitis, **354***
U urealyticum, evaluation of PPLO, AZB, E and NYC agar media for isolation from genital tract of, **282***
U urealyticum, in vitro activity of norfloxacin against, **210***
U urealyticum, minocycline resistance among clinical isolates of, **282***
Urethritis, gonorrhoeic, chlamydia and mycoplasma mixed infection, **69***
Urethritis in men, detection of *N gonorrhoeae* in, **210***
Urethritis, polymorphonuclear leukocyte counts in Gram-stained smears in diagnosis of, **354**

Venereal disease—"the pox", **212***

Warts, genital, and cervical neoplasia, **211**
Wart virus infection, cervical, intraepithelial neoplasia, and carcinoma, **212***
Wart virus infections, genital, nuisance or potentially lethal?, **355***
Warts treated by bleomycin, **138***

Yaws, resurgence in Ghana, **135***

Br J Vener Dis 1984;60:426-9

Index to authors of articles abstracted, 1984

**Indicates that only the title is given*

Abeck D, 210*
Aboagye-Atta Y, 135*
Abrams D, 72*, 211*
Adams C B, 208*
Adams H G, 72*
Adler M W, 73*
Agadzi V K, 135*
Aisen P S, 210*
Albritton W L, 72*, 210*, 354*, 355*
Alderete J F, 71*
Alexander E R, 137*
Alfonso E, 136*
Allan I, 137*
Ammann A J, 72*, 211*
Amortegui A J, 283*
Amsel R, 211*
Amsterdam D, 353*
Ancelle R, 70*
Anderson B, 354*
Andersson M, 208*, 280*
Andersson T, 283*
Andrews B E, 354
Aosai F, 138*
Archibusacci C, 71*
Arini A, 282*
Arnett G, 211*
Arnold H L, 352*
Arnold R C, 352*
Arnoux E, 139*
Arya O P, 284*, 354
Auerbach, D M, 355*
Austin T W, 138*, 354*
Azadegan A A, 135*

Bailey P D, 138*
Baird P J, 72
Baker D C, 211*
Baker-Zander S A, 208*, 353*
Balston E, 282*
Bankaitis V A, 135*
Bard J, 283*
Barr-Nea L, 211*
Barry D W, 211*
Bartholomew W R, 353*
Bartley D L, 71*
Basar T, 355*
Baselski U S, 137*
Baseman J B, 209
Bassford P J Jr, 135*
Bataglioli G J, 210*
Baughn R E, 208* *(bis)*
Baum E W, 69*
Becker H C, 354*
Beckwith P, 71*
Belsey E M, 73*
Beltramic C A, 138*
Benedetti J, 71*
Benedetti J K, 211*, 283*
Benes S, 283*
Berg S W, 354*
Bergamin N, 210*
Berger J, 72*
Bernhardt M, 69*
Bhargava V L, 355*
Biddle J, 354*
Bishop N H, 209*
Black W J, 210*
Blackman E, 210*
Blackwell C C, 69*, 70*, 210*, 353*
Blake M S, 353*
Blanco J D, 70*
Blenk H, 69*
Blomstrand C, 208*
Bonin P, 281*
Boon M E, 71*
Borriello S P, 354*
Bos J D, 135
Bose S K, 70*
Boulding S, 137*
Boyce W T, 283*
Braun L, 284
Brown E J, 136*
Brown S T, 68*
Brown Z A, 72*
Bruns D E, 210*
Bryan L E, 353*
Bryson Y J, 211*
Buchanan T M, 70*, 281
Buckmaster E A, 355*
Budzko D B, 355
Bunch T W, 352*
Burney P, 70*
Burns M, 281
Bygdeman S, 209*

Caldwell H D, 137*
Callaway C S, 70*
Campbell C R, 284*
Cannon J G, 70*, 210*
Capetanakis J, 352*
Carlotta-Orduna B, 212*
Casey S G, 70*
Caul E O, 283*
Chaney S M, 283*
Chernesky M A, 137*
Chiavetta J, 138*
Chu A, 353*
Chuang T Y, 138*
Clackson T E, 71*
Clark V L, 69*
Clarke F M, 69*
Clement M, 68
Cles L D, 137*
Clumeck N, 355*
Cofano F, 138*
Cohen A I, 354*
Cohen M S, 210*
Cohen M V, 136
Cole B, 353*
Coleman D V, 71*
Coleman R M, 138*
Colimon R, 71*
Conant M, 72*
Connelly R J, 283
Conrad G L, 68*
Conway D, 283*
Coombes G H, 71*
Coombes R R A, 355*
Cooney M H, 210*
Copley C O, 136
Corbett J J, 68
Corey L, 71*, 72* *(bis)*, 211* *(bis)*
Cox D L, 353*
Cox D W, 281
Cranage M P, 355*
Cranshaw M A, 71*
Crawford J A, 70*
Critchlow C, 211*
Cronstein B N, 210*
Crum C P, 355
Cunningham F G, 70*
Curran J W, 355*

D'Costa L J, 73* *(bis)*, 138*, 211* *(bis)*, 283
Dalgleish A G, 72*
Danielsson D, 209*
Darrow W W, 355*
Darwish R, 138*
Davies H A, 354*
Dekket C, 211*
De La Maze L A, 211*
Dellaria M F, 355*
De Maubeuge J, 355*
Diaz J-L, 353*
Dickgeisser N, 70* *(bis)*
Docherty J J, 355*
Donovan B, 356*
Doraiswamy B, 136*
Draper D L, 281*
Dretler R H, 71*
Drew W L, 211*
Druilhe P, 355
Drummond L, 281, 352
Drutz D J, 282*
Duc-Goiran P, 70*
Dumalag L B, 352
Durack D T, 139*
duVivier A, 68

Easmon C S F, 282*
Eaton S J, 210*
Egglestone S I, 136
Eisen R, 353*

Embil J A, 137*
Epstein J, 355*
Eschenbach D A, 211*
Evans M, 70*

Faber W R, 135
Falder P, 354*
Fallahi S, 71*
Fan P, 136*
Fantazia M M, 354*
Faris M R, 208
Fast M V, 73*
Feldman R G, 352
Felitici E, 354*
Fennell C, 353*
Ferenczy A, 284*, 284
Fiddian A P, 211*
Fife K H, 71*
Finn M P, 71*
Fitzgerald B L, 139*
Fitzgerald P A, 284*
Fitzgerald T J, 280
Fiumara N J, 135*, 138*, 353*
Fligiel S, 284*
Folds J D, 135*
Folk J C, 68
Folkening W J, 70*
Fontaine E A R, 354*
Forsey T, 70* *(bis)*, 137*
Franceschi S, 211
Francis D P, 211*
Fraser-Smith A B, 211*
Freundt E A, 282*
Fribourg-Blanc A, 355
Friedland B, 136*
Friedland G H, 73*
Friedly G, 135*
Frost E, 353*

Gabbay E L, 68*
Gannon E M, 280
Gatenby P A, 72*
Gatter K C, 212*
Genner J, 138*
Giampaola C, 283*
Gibbs R S, 70*
Gill V, 284*
Gilmore H M, 69
Gissman L, 355
Glasgow L A, 283*
Glaus L, 210*
Glazener C, 283*
Goldenburg D L, 69*, 209*, 353*
Goldmeier D, 211*
Goldstein E J C, 139*
Gorrell T E, 210*
Gotschlich E C, 353*
Gottlieb M S, 72*
Graves S, 135*, 281, 352
Grayston J T, 137*
Greaves W L, 72*
Gregory M R, 210*
Gregory W W, 210*
Groupe de Travail sur le SIDA, 211*
Guérin J M, 139*
Guignan M E, 72*
Guillet G, 284
Guymon L F, 353*
Guzick D S, 136*

Hadler S C, 211*
Hadley W K, 353*
Haffner W H J, 283*
Hafiz S, 139*
Halla J T, 71*
Hallinan J, 68*
Hamilton J D, 139*
Hammerschlag M R, 136*
Handsfield H H, 69*, 137, 210*, 280*, 281*, 282*
Hanff P, 69*, 209*
Hansen E J, 355*
Hansen M V, 353*
Harbec P S, 208*
Hardy P H Jr, 208*
Hare M J, 71*, 284*, 354*
Harrigan E P, 352
Harris C, 73*
Harrison H R, 137*, 283*
Harrison W O, 354* *(bis)*
Hart D, 210*
Hart G, 69*
Hashisaki P, 68*
Healy G R, 71
Heckels J E, 353*
Hemsell D L, 70*
Hesse F E, 137*
Hill L H, 137*
Hoehler F, 355*
Hogewoning C J A, 71*
Holmes B, 281*
Holmes K K, 72* *(bis)*, 137*, 210*, 211*, 353*
Hook E W III, 281
Howell C L, 138*
Hubscher O, 354*
Hughes W T, 71*
Hunley K L, 137*
Hupp S, 136*

Ikenberg H, 355
Ingram D L, 138
Ison C A, 282*
Ivanoff B, 353*

Jackson D, 353*
Jackson F W, 352
Jacob A J, 355*
Jacquette G, 136
Jaffe H S, 211*
Jaffe H W, 68*, 355*
Jahn G, 69*
James J F, 281*
Jenisch A, 69*
Jennings B R, 137*
Johnson A P, 71*, 354*
Johnson S R, 354*
Joiner K A, 136*, 353*
Jones B R, 70*, 137*
Jørgensen B B, 208*, 280
Jorgensen J H, 282*
Joshi R M, 211*
Judd R C, 136*
Juranex D D, 72*

Kabins S A, 68*
Kail A C, 212*
Kampmeier R, 73*
Kand K, 69*
Katta L R, 136*
Kaufman H W, 72*
Kaur P, 353*
Keaney K M, 353*
Keat A, 71*
Kellogg D S, 70*
Kerbs S B, 354*
Kern E R, 283*
Kerner T C Jr, 135*
Kihlström E, 70*, 210* *(bis)*
Kinane D F, 69*, 210*
Kinane K F, 353*
King R D, 138*
Kinghorn G R, 139*, 211*
Klein R S, 73* *(bis)*
Knapp J S, 70*
Kordová N, 210*
Korting H C, 210*, 282*
Kothe F C, 280
Koutsky L A, 283*
Kovacs J A, 284*
Kowolik M, 70*
Kramer M A, 212*
Kramer S B, 210*
Kraus S J, 72*
Krieger J N, 138*
Kuo C-C, 137*, 282
Kwok Y Y, 139*

Lalonde R G, 137*
Lammel C J, 281*
Lancaster D J, 354*
Lancet 135*, 353*
Landolfo S, 138*
Larsen E H, 210*
Larsen S A, 208*
Lawande R V, 211*
Lawee D, 139*
Lawrence T G, 355
Lawton W D, 210*
Leauté J B, 70*
Lee F D, 69
Lee J C, 138*
Lefler E, 354*
Lefrock J, 135*
Lehrer N, 211*
Lessell S, 135*
Leventon-Kriss S, 283*
Levin J, 208*
Levitt D, 283*

Lewis J S, 210*
Lindner U, 210*
Linstead D, 71*
Littleton K, 282*
Loda F A, 138
Loftus T A, 355*
Lohse M A, 355*
Lopez C, 284*
Loretto D I, 138*
Lossick J G, 71*, 72*
Lovett M A, 68*, 69*, 209*
Löwhagen G-B, 208*, 280*
Lukehart S A, 208*, 280*, 353*
Lunberg D F, 212*

McBride M E, 136*
McCance D J, 355*
McCormack W M, 281*, 282*, 283*
McCutchan J A, 73*
McDonald M I, 139*
McEntegart M G, 139*
McFarland L, 70*
McGee Z A, 353*
McLaren C, 211*
McLaughlin T J, 352
McLean C S, 355*
McLean I W, 355*
McMillan A, 69
McNeillage G, 69
McNicol P, 210*, 353*
Macher A M, 284*
Madden D L, 355*
Maelund J A, 136*
Magalhães M, 137*, 282*
Maggwa A B N, 355*
Mahajan V M, 70*
Mahony J B, 137*
Mahoney J F, 352*
Malherbe H, 70*
Malebranche R, 139*
Mallinson H, 354
Mårdh P-A, 71*, 137*, 282*
Margolis S, 72*
Mariuzzi G M, 138*
Marks R, 72*
Marshall W C, 138*
Marson W S, 70*
Martin C F, 353*
Martin D, 282
Martin P M V, 136*
Martin-Bouyer G, 70*
Martinetto P, 138*
Martinotti M G, 138*
Mascart-Lemone F, 355*
Mathews H M, 71
Matthews T R, 211*
Mauff S G, 72
Mayer L W, 69*
Mazeron M C, 71*
Mead R H, 68
Meheus A, 73*
Meyer M P, 283*
Mezzatesta J R, 137*
Michel H, 136*
Miettinen A, 282* *(bis)*
Mietzner T A, 70*
Milgrom F, 69*
Miller D R, 70*
Miller J N, 69*, 208*, 209*
Miller M J, 138*
Miller R D, 355*
Miller R K, 71*
Mindel A, 73*, 211*
Minson A, 355*
Mintz C S, 70*
Mintz L, 211*
Moeckli R A, 352*
Møller B R, 282* *(bis)*
Mondello F, 354*
Monjour L, 355
Morace G, 71*
Morito T, 69*
Morris H B, 212*
Morse A R, 71*
Morse S A, 70*
Moskophidis M, 280* *(bis)*
Moss T R, 282*
Motum P I, 72*
Müller F, 280* *(bis)*
Muller G, 138*, 354*
Müller M, 210*
Munkvad M, 138*
Murphy J, 283*
Murphy V L, 69*, 137
Musher D M, 208* *(bis)*
Musich J R, 283*

Nash G, 284*
Nelson J, 135*
Nelson R L, 283*
Neubert U, 210*
Nichols C R, 68*
Noble R C, 69* *(bis)*, 281*, 354*
Nobles B, 70*
Norgard M V, 208*
Nsanze H, 73* *(bis)*, 138*, 211* *(bis)*, 283, 355**

Obbedeanu N, 211*
O'Brien J P, 209
Odumeru J A, 284
Ogunbanjo B O, 354*
Ohlin A, 71*
Olsen D A, 281
Orfilla J, 70*
Oriel J D, 71*, 137*, 282*
Osoba A O, 73*, 354*
Overall J C Jr, 283*

Paavonen J, 282* *(bis)*
Pal D, 353*
Pande Y, 355*
Pandey S S, 353*
Papasian C J, 353*
Parekh M C, 69* *(bis)*, 281*
Parker S W, 212*
Parr T R Jr, 353*
Parsons N J, 136*
Patel P V, 136*
Patterson G G, 71*
Patterson W H, 356*
Pattison F L M, 354*
Paul R G, 70*
Pearce J H, 137*
Pearson A, 138
Peckham C S, 138*
Pedersen N S, 208*
Peduzzi R, 282*
Penny R, 72*
Pereira L, 138*
Perez C, 136*
Perillo R P, 284*
Perlroth M G, 68
Perry H O, 138*
Perry J J, 208
Petersen C S, 208*, 280
Petersen L R, 68
Petersen N S, 280
Peterson E M, 211*
Peterson K M, 71*
Pettit D E, 208*
Phillips I, 282*
Piffaretti J C, 282*
Piot P, 211*, 282*
Plummer F A, 73*, 138*, 211* *(bis)*, 283, 355*
Poisson M A, 138*
Pollock S, 282
Polonelli L, 71*
Pospisil L, 135*
Potter L D, 210*
Prange H W, 280*
Prentice R L, 72*
Prince H E, 72*
Pringle G F, 136*
Pulford K, 212*
Puolakka J, 354*

Rai A, 70*
Ralph E D, 138*
Rank E L, 281*
Rannon L, 283*
Ravenholt R F, 139*
Rawls W E, 138*
Ray R M, 137*
Raymond J, 70*
Redmond J III, 208
Reed J I, 353*
Rees E, 284*
Regan-Smith M G, 209
Rein M F, 138*, 354*
Rest R F, 137*, 210*
Rice P A, 209, 353*
Richards J T, 283*
Richart R M, 355
Ridgway G L, 71*, 137*
Rietra P J G M, 135
Riou J Y, 353*
Robbie M O, 210*

Robbins K E, **69***
Robison M K, **137***
Robson H G, **137***
Rodahl E, **136***
Roddy R, **280***
Romanowski B, **354***
Ronald A R, **210***, **284**
Rose D L, **282***
Rosenhall U, **280***
Rosenthal R S, **70***
Rosoff M H, **136**
Rossi P H, **281**
Rothenburg R B, **73**
Roupe G, **208***
Rudy F R, **352**
Rufli T, **210***
Ruparellia H, **137***

Sams W M Jr, **69***
Sanchez R L, **135***, **354***
Sanders G E, **284***
Sanderson B E, **210***
Sandström E, **209***
Sarafian S K, **70***
Saunders J M, **135***
Schachter J, **71***, **73***, **137*** *(quater)*, **210***, **281***
Schell R F, **135***
Schiefer H G, **354***
Schipper H I, **280***
Schlossberg D, **352**
Schroff R W, **72***
Schuch R J, **283***
Schwarzenbach H R, **210***
Scieux C, **71***
Scudamore J, **71***
Segal E, **211***
Sekla L, **210***
Sestito M, **71***
Seth P, **355***
Sever J L, **355***
Shafer W M, **353***
Shafir M S, **139***
Shah K, **284***
Shah P P, **137***
Shannon K P, **282***
Shannon W M, **211***
Siegal F P, **284***
Sillis M, **354**
Simmons P D, **72**
Simon C, **210***
Singer A, **355***
Singh G, **353***
Singh K G, **353***
Skillrud D M, **352***
Skjørten F, **283***
Slaney L A, **355***
Slootmans L, **211***
Small C B, **73*** *(bis)*
Smee D F, **211***
Smetana Z, **283***
Smith C I, **72***
Smith G B, **70***
Smith H, **70***, **136***
Smith R F, **138***, **281***
Smith T F, **137***
Sobel J D, **138***, **210***, **354***
Söderlund G, **70***, **210*** *(bis)*
Soendjojo A, **69***
Solomon J, **138***
Southgate L J, **137***
Sparling P F, **70***, **210***
Spence M R, **136***
Spencer R C, **211***
Spiegel C A, **211***
Staberg B, **138***
Stamm L V, **135***
Stamm W E, **283***, **353***
Starcher E T, **212***
Stavraky K M, **138***
Stein D C, **69***
Steiner B M, **135***, **281**
Stephens D S, **353***
Stephens R S, **283**
Steptoe P C, **282***
Sterner B L, **352***
Stevens C E, **282*** *(bis)*
Stevens D A, **354***
Stewart A J, **212***
Stibbs H H, **283**
Strandberg D A, **282***
Stray-Pedersen B, **280***
Strugnell R A, **69***, **352**
Su W P D, **138***
Subaksharpe J H, **283***
Sugasawara R J, **210***
Susini, J G V, **354***
Sutherland S, **211***
Sutter V L, **139***
Sweet R L, **210***
Swim S C, **70***

Tabaqchali S, **72***
Talbot M D, **211***
Tanino T T, **281***
Tarnam S, **139***
Task Force on Acquired Immune Deficience Syndrome, **139***
Taylor-Robinson D, **71***, **282*** *(bis)*, **354*** *(bis)*
Theodoridis A, **352***
Thin R N, **71***, **72**
Thomas B J, **70***, **71***
Thompson S E, **71***, **210***, **211***
Thornberg R W, **209**
Thune P, **283***
Tindall E A, **209**
Tjiam K H, **71***
Tooley P, **71***
Torgal J, **70***
Torian B E, **283**
Totten P A, **210***
Treharne J D, **70***, **137***
Tufenkeji H, **71***
Tuffrey M, **71***, **354***
Tuimaca R, **354***
Tully J G, **282***
Turner G C, **284***

Underwood J R, **69***
Ursi J P, **73***

Vagena A, **352***
Vandenberghe D A, **211***
Van Der Donk H J, **135***
Van Dyck E, **73***, **211***, **282***
Van Eljk R V, **135***
Van Embden J D, **135***
Varelzidis A, **352***
Veale D R, **70***
Veras A, **282***

Walker P G, **355***
Walls R S, **72***
Wang S P, **137***
Ward M E, **70***
Warren K A, **136***
Warren K G, **283***
Washington A E, **69***, **72***, **210***
Weed L A, **137***
Weidner W, **354***
Weiner S R, **136***
Weingeist T A, **68**
Weinstein L, **137***
Weir D M, **69***, **210***, **353***
Wentworth B B, **210***
Wertzberger G G, **68***
Westermeier T G, **208**
Weström L, **71***
White E, **210***
White S T, **138**
Wickett W H Jr, **355***
Wignall F S, **135***
Wilbanks G D, **354***
Wilcke B W, **355**
Wilde C E III, **353***
Wilt J C, **210***
Winstanley F P, **69***, **70***, **353***
Wiseman G M, **284**, **353***
Wong G H W, **135***, **281**
Wood D, **282***
Wood J C, **135***
Woodland R M, **71***
Wren M N, **212***

Yajko D M, **282***, **353***
Yano A, **138***
Yoffe R, **283***
Young F E, **69***
Yui K, **138***
Yvert F, **353***

Zajdowicz T R, **135***, **354***
Zak K, **353***
Zakowski J J, **210***
Zartarian M V, **135***
Zisseeuw-Appel I M, **280**